INSTRUCTIONS

This for is to be field with the approach. District Office of the Commission not later that 20 days after the completion of any newly-dified or despected well. It was been appreciably the copy of all electrical and radio-activity logs run on the well and a summary of all spectal tests conducted including data states tests. All depths reported shall be negative depths. In the case of directionally miled wells, the vertical depths shall be reported for each zone. The term is to be field in quintuplicate except or state and, where six copies are required. See hule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico			
т.	Anhy0-100'	T. Canyon	_ T Ojo Alamo	_ T. Penn. ''B''	
т.	Salt	_ T. Strawn	T. Kirtland-Fruitland	_ T. Penn. "C"	
		_ T. Atoka			
т.	Yates 425'	_ T. Miss	T. Cliff House	_ T. Leadville	
		_ T. Devonian			
		T. Silurian			
Т.	Grayburg1721'	T. Montoya	T. Mancos	_ T. McCracken	
Т.	San Andres 2010'	T. Simpson	_ T. Gallup	_ T. Ignacio Qtzte	
Т.	Glorieta	_ T. McKee	Base Greenhorn	_ T. Granite	
Т.	Paddock	T. Ellenburger	T. Dakota	– T	
Т.	Blinebry	_ T. Gr. Wash	T. Morrison	- T	
т.	Tubb	_ T. Granite	T. Todilto	_ т	
Т.	Drinkard	_ T. Delaware Sand	T. Entrada	- T	
т.	Abo	_ T. Bone Springs	T. Wingate	- T	
Т.	Wolfcamp	_ T	T. Chinle	_ T	
Т.	Penn	_ T	T. Permian	_ T	
т	Cisco (Bough C)	_ T	T. Penn. "A"	– T. ––––	
		OIL OR GAS	SANDS OR ZONES		
No.	1, from 1592'	to1601.5'	No. 4, from 1929!		
No.	2, from	to	No. 5, from	to	
No.	3, from	to1883 '	No. 6, from	to	

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole,

No. 1, from	to		•••••••••••••••••••••••••••••••••••••••
No. 2, from	to		
No. 3, from	to		
No. 4, from	to	feet.	

FORMATION RECORD (Attach additional sheets if necessary)

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
425	510'	85'	Yates				
510'	1358'	848′	7 Rivers				
1358 '	17 21'	363'	Queen				
1721 '	2010'	289'	Grayburg				