

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Gates Petr. Corp.</i>		Lease <i>Metals LT Com.</i>		Well # <i>1</i>	
Location of Well	Unit <i>6605 1100W</i>	Section <i>31</i>	Township <i>18</i>	Range <i>26</i>	County <i>Eddy</i>
Drilling Contractor <i>Lambert & Co.</i>			Type of Equipment <i>Rotary</i>		

** witness* APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>17 1/2"</i>	<i>13 3/8"</i>	<i>48</i>		<i>360</i>	<i>275 cu.</i>
<i>12 1/4"</i>	<i>8 5/8"</i>	<i>24</i>		<i>1000</i>	<i>550 "</i>
<i>7 7/8"</i>	<i>4 1/2 or 5 1/2"</i>			<i>9350</i>	<i>250</i>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole *12 1/4* Size of Casing *8 5/8* Sacks cement required *230*

Type of Shoe used *Guide* Float collar used *Insert* Btm 3 jts welded *yes*

TD of hole *1000* Set *1003* Feet of *8 5/8* Inch *24* # Grade *J-55*

New ~~rod~~ csg. @ *1003* with *200 C* sacks neat cement around shoe
+ *250* sax *Hewco Lite* additives *#6 Gilsonite 1/4 LB Fluseal*

Plug down @ *430* (AM) (PM) Date *10-14-79*

Cement circulated *yes* No. of Sacks *30*

Cemented by *Hewco* Witnessed by *B.W. Weaver*

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: *Last Drilling Break @ 845 ft*