PO. OF COPIES RECEIVED	Form C-103
DISTRIBUTION	Supersedes Old C-102 and C-103
SANTA FE NEW MEXICO OIL CONSERVATION COMMISSION	Effective 1-1-65
FILE	
U.S.G.S.	Sa. Indicate Type of Lease
LAND OFFICE	State Fee X
OPERATOR //	5, State Oil 6 Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS	
USE "APPLICATION FOR FERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
OIL GAS X OTHER-	7. Unit Agreement Name
2. Name of Operator	
Yates Petroleum Corporation	8. Form of Lease Name North Penasco MG Com
3. Address of Operator	
ARTESIA DEFICE	9. Well No.
207 South 4th Street - Artesia, NM 88210	, <u>r</u>
	10. Field and Pool, gr.) Wildcar Undes . Morrow
UNIT LETTER P, 660 FEET FROM THE SOUTH LINE AND 660 FEET FROM	ondes : Morron
East 23 18S 25E	
THE East LINE, SECTION 23 TOWNSHIP RANGE NAMPM.	
15. Elevation (Show whether DF, RT, GR, etc.) 3473.7° GR	12. County Eddy
Check Appropriate Box To Indicate Nature of Notice, Report or Oth	er Data
	REPORT OF:
PERFORM REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING CASING TEST AND CEMENT JQB	
OTHER	
OTHER	
17. Describe Proposed of Completed Operations (Clearly state all pertinent details, and give pertinent dates, including	
work) SEC RULE 163.	
TD 367' - Spudded a 17½" hole at 9:00 AM 1-10-80. Ran 10	oints of 13-3/8"
H-40 48# ST&C (371') of casing set at 367'. 1-guide shoe a	
w/350 sacks Class C 4% CaCl. Surry Weight 14.8. 1.32 Cu.	t./sack.
w/350 sacks Class C 4% CaCl. Slurry weight 14.8, 1.32 cu.s	t./sack. PD 10:15 PM 1-10-80.
Compressive Strength at 70 degrees 1023 psi in 12 hours. I	PD 10:15 PM 1-10-80.
Compressive Strength at 70 degrees 1023 psi in 12 hours. I Cement circulated 25 sacks to surface. WOC 12 hours, backs	PD 10:15 PM 1-10-80. ed off, reduced hole
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drives.	PD 10:15 PM 1-10-80. ed off, reduced hole lling.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive Strength at 70 degrees 1023 psi in 12 hours. If	PD 10:15 PM 1-10-80. ed off, reduced hole lling. casing set at 1145'.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of controlling the same at 1145'. Insert float at 1105', 1-centralized	PD 10:15 PM 1-10-80. ed off, reduced hole lling. easing set at 1145'. et 475 and basket
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive Strength at 70 degrees 1023 psi in 12 hours. If	PD 10:15 PM 1-10-80. ed off, reduced hole lling. easing set at 1145'. et 475 and basket
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift to 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of controlled shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolite	PD 10:15 PM 1-10-80. End off, reduced hole calling. Easing set at 1145'. E at 475 and basket E, 1/4#/sack cello-
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12¼", drilled plug and tested to 600# OK and resumed drift TD 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of controlled shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolite flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate	of 10:15 PM 1-10-80. ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift TD 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of Claude shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolite flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate Survey at 9:30 PM 1-12-80. Found top of cement at 640', respectively.	of 10:15 PM 1-10-80. ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature an 1" and tagged
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift of 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolite flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10	ob 10:15 PM 1-10-80. ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature an 1" and tagged can PM 1-12-80. WCC
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12¼", drilled plug and tested to 600# OK and resumed drift TD 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of controlled shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Koliter flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10 2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks	PD 10:15 PM 1-10-80. Red off, reduced hole calling. Rasing set at 1145'. Rat 475 and basket Ran Temperature an 1" and tagged 30 PM 1-12-80. WCC Class C 4% CaC1.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift of 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolite flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 102 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at	PD 10:15 PM 1-10-80. Red off, reduced hole calling. Rasing set at 1145'. Rat 475 and basket Red, 1/4#/sack cello- Red. Ren Temperature Red. 1" and tagged Red. 230 PM 1-12-80. WOC Class C 4% CaCl. Red. 388', spotted 50
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of controlled shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10:2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran 2 hours at 250 sacks Class C 4% CACL.	PD 10:15 PM 1-10-80. Red off, reduced hole calling. Rasing set at 1145'. Rat 475 and basket Red, 1/4#/sack cello- Red. Ran Temperature Ran Temperature Ran 1" and tagged Ran Class C 4% CaCl. Ran 388', spotted 50 Ran 1" and tagged
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10:2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13-80.	ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature en 1" and tagged cas C 4% CaCl. cas C 50 cm.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10:2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13-80.	ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature en 1" and tagged cas C 4% CaCl. cas C 50 cm.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backeto 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Koliter flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate Survey at 9:30 PM 1-12-80. Found top of cement at 640', respectively at 598'. Spotted 100 sacks Class C 4% CaCl. PD 1002 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to 4 tested to 600#. OK and resumed drilling.	ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature en 1" and tagged cas C 4% CaCl. cas C 50 cm.
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backs to 12½", drilled plug and tested to 600# OK and resumed drift 1145' Ran 29 joints of 8-5/8" 24# K-55 (1150') of compressive at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10:2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13-80.	ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature en 1" and tagged cas C 4% CaCl. cas C 50 cm.
Compressive Strength at 70 degrees 1023 psi in 12 hours. In Cement circulated 25 sacks to surface. WOC 12 hours, backed to 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10 2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 50 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to & tested to 600#. OK and resumed drilling.	ed off, reduced hole cling. casing set at 1145'. casing set at 1145'. cat 475 and basket c, 1/4#/sack cello- ce. Ran Temperature can 1" and tagged cas C 4% CaCl. cas C 4% CaCl. cas S 4% CaCl. cas S 50 cas C 65 cas C 7-7/8", drld plug
Compressive Strength at 70 degrees 1023 psi in 12 hours. If Cement circulated 25 sacks to surface. WOC 12 hours, backeto 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Koliter flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulate Survey at 9:30 PM 1-12-80. Found top of cement at 640', respectively at 598'. Spotted 100 sacks Class C 4% CaCl. PD 1002 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to 4 tested to 600#. OK and resumed drilling.	ed off, reduced hole cling. casing set at 1145'. cat 475 and basket e, 1/4#/sack cello- ce. Ran Temperature en 1" and tagged cas C 4% CaCl. cas C 50 cm.
Compressive Strength at 70 degrees 1023 psi in 12 hours. In Cement circulated 25 sacks to surface. WOC 12 hours, backed to 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10 2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 50 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to & tested to 600#. OK and resumed drilling.	PD 10:15 PM 1-10-80. Red off, reduced hole Illing. Rasing set at 1145'. Rat 475 and basket Rat 1 and tagged Rat 1 and tagged Rat 2 and tagged Rat 2 and tagged Rat 388', spotted 50 Rat 1 and tagged Rat 475 and basket Rat 475 and basket
Compressive Strength at 70 degrees 1023 psi in 12 hours. In Cement circulated 25 sacks to surface. WOC 12 hours, backed to 124", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control of 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 102 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Rancement at 340', sptd 56 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to 8 tested to 600#. OK and resumed drilling. 13.1 hereby certify that the information above is true and complete to the best of my knowledge and belief. Geol. Secty.	ed off, reduced hole cling. casing set at 1145'. casing set at 1145'. cat 475 and basket c, 1/4#/sack cello- ce. Ran Temperature can 1" and tagged cas C 4% CaCl. cas C 4% CaCl. cas S 4% CaCl. cas S 50 cas C 65 cas C 7-7/8", drld plug
Compressive Strength at 70 degrees 1023 psi in 12 hours. In Cement circulated 25 sacks to surface. WOC 12 hours, backed to 12½", drilled plug and tested to 600# OK and resumed drift 1145' - Ran 29 joints of 8-5/8" 24# K-55 (1150') of control 1-guide shoe at 1145'. Insert float at 1105', 1-centralized at 575'. Cemented w/550 sacks of 50-50 poz, 5#/sack Kolited flake, 2% CaCl. PD 3:30 PM1-12-80. Cement did not circulated Survey at 9:30 PM 1-12-80. Found top of cement at 640', recement at 598'. Spotted 100 sacks Class C 4% CaCl. PD 10 2 hrs, ran 1" and tagged cement at 462', spotted 250 sacks PD 2:00 AM 1-13-80. WOC 3 hrs. Ran 1"and tagged cement at sacks Class C 4% CACL. PD 6:00 AM 1-13-80. WOC 2 hrs. Ran cement at 340', sptd 50 sx Class C 4% CaCl PD 8:45 AM 1-13 srf. WOC 18 hrs. NU and tstd to 1500#. OK. Reduced hole to & tested to 600#. OK and resumed drilling.	PD 10:15 PM 1-10-80. Red off, reduced hole Illing. Rasing set at 1145'. Rat 475 and basket Rat 1 and tagged Rat 1 and tagged Rat 2 and tagged Rat 2 and tagged Rat 388', spotted 50 Rat 1 and tagged Rat 475 and basket Rat 475 and basket