## INSTRUCTIONS

te District Office of the Commission not later t 20 days after the completion of any newly-drilled or This form is to be filed with the approdeepened well. It shall be accompanied by one copy of all electrical and radio-activity logs must on the well and a summary of all special tests conducted, including drill stem, tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

# INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Northwestern New Mexico Southeastern New Mexico \_\_\_\_\_ T Ojo Alamo \_\_\_ \_ T. Penn. ''B'' \_\_\_\_ T. Canyon \_ т. Anhy \_\_\_ \_\_\_\_\_т. Kirtland-Fruitland \_\_\_\_\_ T. Penn. "C"\_ \_\_\_\_\_ T. Strawn \_ Salt \_\_\_\_ т. Pictured Cliffs \_\_\_\_\_ T. Penn, "D" \_\_\_\_\_ T. B. Sait. . Т. Atoka ..... 250 \_ T. Leadville\_ Cliff House T. Yates\_ .... T. Miss \_\_\_\_\_ T. Menefee \_\_\_ \_\_\_\_\_ T. Madison \_\_\_ 7 Rivers. \_\_\_\_ T. Devonian \_\_\_\_ т. 500 Point Lookout \_\_\_\_\_ T. Elbert T. Silurian ... \_\_\_\_\_ T. Τ. Oueen\_ T. McCracken T. Mancos \_\_\_\_ Montoya ..... T. Grayburg . 1100 \_\_\_\_\_ T. \_\_\_\_\_ T. Ignacio Qtzte \_\_\_\_ \_ Т. Gallup \_\_\_\_ Simpson \_ T. San Andres \_\_\_\_\_\_Base Greenhorn \_\_\_\_\_\_T. Granite \_\_\_\_ Т. Glorieta\_ \_\_\_\_\_Т. McKee \_ Ellenburger \_\_\_\_\_ T. \_\_\_\_\_ T. . Dakota \_ т. Paddock \_\_\_\_\_ T. \_\_\_\_\_ Т. Morrison\_ \_\_\_\_\_ T. Gr. Wash Τ. Blinebry \_ \_\_\_\_\_ T. \_\_\_\_\_ T. Todilto \_\_\_\_ Т. Tubb. Granite\_ \_\_\_\_\_ T. Delaware Sand \_\_\_\_\_ T. Entrada . Т. Drinkard \_ ------ T. . T. Bone Springs \_\_\_\_\_ T. Wingate \_\_\_\_ Τ. Аьо ... \_\_\_\_\_ T. \_ \_\_\_\_\_r. \_\_ ..... Т. Chinle \_\_\_\_ T. Wolfcamp \_ T. Permian \_\_\_\_\_ T. \_\_\_\_ \_\_\_\_\_ T. \_ T. Penn. \_ \_\_\_\_\_\_ T. Penn. "A" \_\_\_\_\_ \_\_\_\_\_ T. Cisco (Bough C) \_\_\_\_\_ T. Т 1438. No. 1, from ......

# IMPORTANT WATER SANDS

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* 

Include data o	n rate of water inflow	and elevation to which wat	er rose in hole.	
No. 1. from	251	to	306	feet.
•		to		
•		to		
		to		

## FORMATION RECORD (Attach additional sheets if necessary)

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 251 282 384 478 503 609 650 666 710 723	251 282 384 478 503 609 650 666 710 723 1760	251 31 102 94 25 106 41 16 44 13 1037	Gravel & Redbeds Sand Lm & anhydrite Sand Lm Sand Lm Sand Lm & dolo w/shale stringers				