

15. For the protection of livestock and wildlife, all pits containing toxic liquids will be fenced and covered with a fine mesh netting (i.e., hardware cloth) with openings being 1/2-inch or less.

16. All waste associated with the drilling operation will be (buried within a separate trash pit)(removed and deposited in an approved sanitary landfill) within 1 month after removal of the drilling rig. All garbage and debris left on the site will be buried at least 3 feet deep, and metal containers will be crushed. The permittee will comply with all State laws and regulations pertaining to the disposal of human waste.

17. The well site will, during drilling operations and after drilling operations if well is a producer, be maintained and kept clean of all trash and debris which might detract from the surrounding environment.

18. In the event the oil or gas test results in a dry hole or the well is abandoned, the drill pad and access road will be ripped a minimum of 12 inches in depth. All ripped surfaces are to be protected from vehicular travel by construction of a dead-end ditch and earthen barricade at the entrance to these ripped areas.

19. All above-ground structures, not subject to applicable safety requirements, shall be painted to blend with the natural surroundings. The paint used will be lusterless, nonreflective, flat, or semigloss color that simulates Federal Standard No. 595A, color 30318 or 36357.

20. If well is a producer, all roads will be adequately drained to control runoff and soil erosion. Drainage facilities may include ditches, water bars, culverts, and/or any other measures deemed necessary by WPRS officer. The following is a general guide for the spacing of water bars:

<u>Present Slope</u>	
less than 2 percent . . . . .	200 feet
2 percent to 4 percent . . . . .	100 feet
4 percent to 5 percent . . . . .	75 feet
more than 5 percent . . . . .	50 feet

21. Operator will provide the dirt contractor with a copy of the above stipulations prior to construction of the road, pad, or associated developments.

Address: Regional Director, Southwest Region  
Water and Power Resources Service  
714 South Tyler  
Amarillo, TX 79101

Regional Oil and Gas Supervisor  
U.S. Geological Survey  
Roswell, NM 88201