

NEW-TEX LAB

P.O. BOX 1761

MOBILE, ALA. 36681-1761

MOBILE, ALA. 36681
DATE OF ANALYSIS 1/21/81
ANALYST J. J. JONES

ANALYSIS CERTIFICATE

SAMPLE IDENT. CIGARETTE BRAND - 100% CIGARETTE

CLIENT: NEW-TEX LAB
ADDRESS: P.O. BOX 1761
CITY, STATE: MOBILE, ALA.

SAMPLING PRESSURE PSIG 0.000000
STATION NUMBER 0.000000

***** END ANALYSIS *****

NITROGEN	2.23.1595	
CARBON DIOXIDE	0.784487	
METHANE	55.73.1295	
ETHANE	2.721111	
PROPANE	2.223752	0.711295
ISO-BUTANE	0.411724	2.127750
NORMAL BUTANE	0.571344	2.118211
ISO-PENTANE	0.000000	0.071172
NORMAL PENTANE	0.111111	0.000000
HEXANES	0.000000	0.000000
HEPTANES PLUS	0.000000	0.000000
TOTAL	100.000000	100.000000

PROPANE GPM: 2.71
ETHANE GPM: 1.11

SPECIFIC GRAV (D410): 1.1111
MOLE WEIGHT: 19.11

BTU/CU FT	PREC. 10	PREC. 10	PREC. 10
14.611	1111	1111	1111
14.611	1111	1111	1111
14.733	1111	1111	1111
14.733	1111	1111	1111

ANALYZED BY:

APPROVED BY:

J. J. Jones