

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.O.S.	
LAND OFFICE	
OPERATOR	1

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

RECEIVED

Form C-103
Revised 10-1-78

NOV 18 1981

O. C. D.

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

ARTESIA OFFICE

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Nix PK
3. Address of Operator 207 South 4th St., Artesia, NM 88210	9. Well No. 2
4. Location of Well UNIT LETTER 0 430 FEET FROM THE South LINE AND 1760 FEET FROM THE East LINE, SECTION 27 TOWNSHIP 18S RANGE 26E NMPM.	10. Field and Pool, or Wildcat Atoka Yeso
11. Elevation (Show whether DF, RT, GR, etc.) 3344' GR	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 9-1/2" hole at 4:45 PM 11-4-81. Ran 28 joints 7" 20# casing set at 1113'. 1-Texas Pattern guide shoe at 1113'. Flapper float set at 1082.15'. Cemented w/550 sacks Class C 3% CaCl. Compressive strength 1875 psi in 12 hours. PD 7:00 AM 11-7-81. Bumped plug to 1000 psi, released pressure and float held okay. Cement circulated 50 sacks to pit. WOC. Drilled out 1:00 AM 11-8-81. WOC 18 hours. Nipped up and tested to 1000 psi, okay. Reduced hole to 6-1/4". Drilled plug and resumed drilling.

14. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>[Signature]</u>	TITLE <u>Engineering Secretary</u>	DATE <u>11-16-81</u>
APPROVED BY <u>[Signature]</u>	TITLE <u>OIL AND GAS INSPECTOR</u>	DATE <u>NOV 20 1981</u>

CONDITIONS OF APPROVAL, IF ANY: