

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

MAR 24 1983

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
LG - 4036

1a. TYPE OF WELL

OIL WELL ☒GAS WELL ☐DRY ☐OTHER ☐

O. C. D.

ARTESIA, OFFICE

b. TYPE OF COMPLETION

NEW WELL ☒WORK OVER ☐DEEPEN ☐PLUG BACK ☐DIFF. RESVR. ☐OTHER ☐

2. Name of Operator

Anadarko Production Company

3. Address of Operator

P. O. Drawer 130, Artesia, New Mexico 88210

4. Location of Well

UNIT LETTER 0 LOCATED 660 FEET FROM THE South LINE AND 1980 FEET FROM

THE East LINE OF SEC. 36 TWP. 18S RGE. 28E NMPM

15. Date Spudded

3-25-82

16. Date T.D. Reached

4-18-82

17. Date Compl. (Ready to Prod.)

P & A 1-20-83

18. Elevations (DF, RKB, RT, GR, etc.)

3392.7 GL

19. Elev. Casinghead

Csg head removed

20. Total Depth

6701

21. Plug Back T.D.

Ground Level

22. If Multiple Compl., How Many

23. Intervals Drilled By

X

Rotary Tools

Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name

Bone Spring: 6488 - 94 & 5886 - 90

San Andres: 4650 - 56

25. Was Directional Survey Made

No

26. Type Electric and Other Logs Run

Cement Bond Log,
Compensated Neutron/Formation Density, Cyberlook, Dual Induction-SFL

27. Was Well Cored

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48.0#	390' KB	17-1/2"	485 sx + readymix to surface	None
8-5/8"	24.0#	3252' KB	12-1/4"	1400 sx - circulated	None
5-1/2"	17.0#	6700' KB	7-7/8"	450sx	Cut-off 4350' KB & pulled

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

30. TUBING RECORD

31. Perforation Records (Interval, size and number)

Bone Spring: 6488-94 @ 2 SPF - 13(1/2" holes)

Bone Spring: 5886-90 @ 2 SPF - 8(1/2" Holes)

San Andres: 4650-56 @ 2 SPF - 12

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6488-94	Acidized with 600 gals 15% NE acid
5886-90	Acidized with 2800 " 15% NE acid
4650-56	Fraced with 20,000 gals 2% KCL gel, 17,000# 20/40 sd, 7,000# 10/20 sd.

33. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
Date of Test	Hours Tested	Choke Size
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate
Prod'n. For Test Period	Oil - Bbl.	Gas - MCF
Water - Bbl.	Gas - Oil Ratio	
Oil - Bbl.	Gas - MCF	Water - Bbl.
Oil Gravity - API (Corr.)		

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

Deviation Survey, T° Survey, Logs

Test Witnesses By

35. List of Attachments

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Supervisor

DATE March 24, 1983

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by a copy of all electrical and radio-activity logs run in the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____
T. Salt _____ 400'
B. Salt _____ 660'
T. Yates _____
T. 7 Rivers _____ 1600'
T. Queen _____ 1800'
T. Grayburg _____ 2100'
T. San Andres _____ 2600'
T. Glorieta _____
T. Paddock _____
T. Blinberry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn. _____
T. Cisco (Bough C) _____

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Granite _____
T. Delaware Sand _____
T. Bone Springs _____ 6000'
T. _____
T. _____
T. _____

Northwestern New Mexico

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn. "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Qtzite _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ None _____ to _____
No. 2, from _____ to _____
No. 3, from _____ to _____
No. 4, from _____ to _____
No. 5, from _____ to _____
No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ None _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	400	400	Redbed				
400	660	260	Salt				
660	1600	940	Sand				
1600	1800	200	Sand				
1800	2100	300	Sand				
2100	2600	500	Sand				
2600	6701 (TD)	4101	Limestone				

DEVIATION TESTS
ANADARKO PRODUCTION COMPANY

RECEIVED

MAR 24 1983

1 SUNTEX
600' FSL, 1980' FEL, Sec. 36, T-18-S, R-28-E
Eddy County, New Mexico

O. C. D.
ARTESIA, OFFICE

<u>DEPTH</u> <u>(FEET)</u>	<u>DEVIATION</u> <u>(DEGREES)</u>
420	1/2
825	1 3/4
1355	1 1/2
1885	2
2402	1 3/4
2849	1 1/2
3253	2
3770	2
4270	2 1/4
4797	2 1/4
5264	2
5854	2 1/4
6444	2
6681	2

WARTON DRILLING COMPANY

B. E. Burton
B.E. Burton
President

SUBSCRIBED AND SWORN TO before me this 22nd day of
April, A. D. 1982.

Chyree A. Bright
Chyree A. Bright, Notary Public
in and for the State of Texas