

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2038
SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease
State ☐ Fed ☒
5. State Oil & Gas Lease No.
6. Unit Agreement Name
7. Form or Lease Name
Platt PA
8. Well No.
5
10. From and To, or Wildcat
Atoka-Yeso
12. County
Eddy

C. TYPE OF WELL 62m

RECEIVED

D. TYPE OF COMPLETION

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. PRES. ☐ OTHER ☐

DEC 22 1981

E. Name of Operator

Yates Petroleum Corporation

O. C. D.
ARTESIA, OFFICE

F. Address of Operator

207 South 4th St., Artesia, NM 88210

G. Location of Well

H. LETTER K LOCATED 2310 FEET FROM THE South LINE AND 1650 FEET FROMI. West LINE OF SEC. 26 TWP. 18S RGE. 26E RANGEJ. Date Spudded 9-21-81 16. Date T.D. Reached 10-1-81 17. Date Compl. (Ready to Prod.) 12-10-81 18. Production (DF, RKB, RT, GR, etc.) 3313' GR20. Total Depth 3850' 21. Plug Back T.D. 3810' 22. If Multiple Compl., How Many 0-3850' 23. Intervals Drilled By Rotary Tools 24. Cable Tools

25. Producing Interval(s), of this completion - Top, Bottom, Name

2711-3350' Yeso

26. Was Directional Survey Made

No

27. Type Electric and Other Logs Run

Gamma Ray-Neutron

28. Was Well Cored

No

29. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7"	20#	910'	9-7/8"	550	
4-1/2"	9.5#	3813'	6-1/4"	375	

30. LINER RECORD

SIZE	TOP	BOTTOM	BACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	2650'	

31. Perforation Record (Interval, size and number)

3149-3350' w/25 .50" holes

2711-2920 w/25 .50" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
3149-3350'	Frac'd w/80000 g. 1% KCL wtr, 170000# sd, 2000 g. acid.
2711-2920'	Frac'd w/60000 g. 1% KCL wtr, 130000# sd, 2000 g. acid.

33. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
12-10-81	Flowing	Producing
Date of Test	Hours Tested	Choke Size
12-15-81	24	-
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate
25#	25#	31
		Oil - Bbl. Gas - Bbl. Water - Bbl. Oil - Gravity - API (Corr.)
		31 29 114 38

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed by

Larry Dade

35. List of Attachments

Deviation Survey

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

TITLE Engineering Secretary

DATE 12-21-81

INSTRUCTIONS

This form is to be filled with the appropriate data from the log of the well, and is to be filled out after the completion of any newly-drilled or deepened well. It shall be completed for the case of all commercial and non-commercial wells, and for any of oil, gas, or both, or for any other purpose, including drilling for water. All data reported shall be measured, and shall be the case of all newly drilled wells, true vertical depth shall also be reported. For a duplicate copy, please refer to the log. It shall be completed for any well, and the form is to be filled in quadruplicate except on state land, where duplicates are required. See H-1, 1103.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anby	T. Canyon	T. Cretaceous	T. Penn. (11)
T. Salt	T. Shinarump	T. Permian (12)	T. Penn. (13)
B. Salt	T. Aztec	T. Permian (14)	T. Penn. (15)
T. Yates	T. Mancos	T. Permian (16)	T. Penn. (17)
T. 7 Rivers	T. New River	T. Permian (18)	T. Penn. (19)
T. Queen	T. Salado	T. Permian (20)	T. Penn. (21)
T. Grayburg	T. Montano	T. Permian (22)	T. Penn. (23)
T. San Andres	T. Sanguero	T. Permian (24)	T. Penn. (25)
T. Glorieta	T. Hondo	T. Permian (26)	T. Penn. (27)
T. Padlock	T. Hondo	T. Permian (28)	T. Penn. (29)
T. Blinberry	T. Gr. Wash	T. Permian (30)	T. Penn. (31)
T. Tubbs	T. Granite	T. Permian (32)	T. Penn. (33)
T. Drinkard	T. Delaware Sand	T. Permian (34)	T. Penn. (35)
T. Aco	T. Bone Springs	T. Permian (36)	T. Penn. (37)
T. Wolfcamp	T. Permian	T. Permian (38)	T. Penn. (39)
T. Penn.	T. Permian	T. Permian (40)	T. Penn. (41)
T. Cisco (Bough C)	T. Permian	T. Permian (42)	T. Penn. (43)

OIL OR GAS SANDS OR ZONES

No. 1, from	to	No. 4, from	to
No. 2, from	to	No. 5, from	to
No. 3, from	to	No. 6, from	to


IMPORTANT WATER SANDS

Include data on rate of water flow, and to which water rose in hole.

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet
No. 4, from	to	feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	386	386	Surface Gravel, Redbeds				
386	885	499	Anhydrite & Shale				
885	1329	444	Anhydrite				
1329	2153	824	Shale & Lime				
2153	2484	331	Shale, Sand, Anhydrite				
2484	3750	1266	Anhydrite & Shale				
3750	3850	100	Anhydrite, Shale & Lime				



L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

RECEIVED

DEC 22 1981

O. C. D.
ARTESIA, OFFICE

October 5, 1981

Yates Petroleum Corporation
207 South Fourth Street
Artesia, NM 88210

RE: Platt PA #5
2310' FSL & 1650' FWL
Sec. 26, T18S, R26E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
498'	1/4°
910'	1°
1420'	1/2°
1952'	1/2°
2497'	3/4°
3098'	1°
3615'	1-1/4°
3850'	1-1/2°

Very truly yours,


B. N. Muncy, Jr.
President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 5th day of October, 1981.

