

OIL CONSERVATION DIVISION

P. O. BOX 2048
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

DATE OF NOTICE RECEIVED	3
DATE OF NOTICE	
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1
DATE OF NOTICE	1

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E-1285	

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.

OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
Name of Operator		
Hondo Oil and Gas Company		
Address of Operator		
P. O. Box 1710, Hobbs, New Mexico 88240		
Location of Well		
UNIT LETTER	I	660 FEET FROM THE East LINE AND 1930 FEET FROM
THE South	LINE, SECTION 3	TOWNSHIP 18S RANGE 28E NMPM.

7. Unit Agreement Name
8. Farm or Lease Name
Featherstone State Com
9. Well No.
1
10. Field and Pool, or Wildcat
Undesignated Morrow Gas
12. County
Eddy

15. Elevation (Show whether DF, RT, GR, etc.)
3643.6' GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Log, Perforate, Test & Complete <input checked="" type="checkbox"/>

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On 4/18/82 ran GR-CBL, GR-CCL-CNL log. RIH w/Vann perforating guns, Lok-set pkr on 2-3/8" tbg. Set pkr @ 10,339'. Flanged up wellhead & perforated Morrow Gas w/4 SPF @ 10,414-24' = 40 holes. Flwd to pit 1 hr to clean up, ARO 13-14 MMCFG on 32/64" ck. Shut in for 72 hr buildup on 4/19/82. SITP 3070#. On 4-pt test 4/21/82 CAOF = 66,025 MCFGD (Morrow Gas). On 4-pt produced 34 BC, 58.2° gravity. 162 hr BHP 4257#. SI WOPLC. Final Report.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>James D. Schmidt</u>	TITLE <u>Dist. Drlg. Supt.</u>	DATE <u>5/4/82</u>
APPROVED BY <u>W. A. Gressett</u>	TITLE <u>SUPERVISOR, DIVISION #1</u>	DATE <u>MAY 13 1982</u>
CONDITIONS OF APPROVAL, IF ANY:		