

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐ **OCT 1 1982**
2. NAME OF OPERATOR **C. D.**
Anadarko Production Company, ARTESIA, OFFICE
3. ADDRESS OF OPERATOR
P.O. Drawer 130, Artesia, New Mexico 88210
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 330' FNL & 990' FWL Sec. 4, T18S, R29E.
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) _____	<input checked="" type="checkbox"/> Completion

5. LEASE
LC 058581
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Ballard Grayburg San Andres Unit
8. FARM OR LEASE NAME
Tract 10
9. WELL NO.
7
10. FIELD OR WILDCAT NAME
Loco Hills-Queen-Grayburg-San Andres
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4 - 18S - 29E
12. COUNTY OR PARISH
Eddy
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3542.3 GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Dresser Atlas perforated Grayburg Zone-metex perfs: 2609-2745; premier perfs: 2753-2813. Total holes = 132 with .34" diam.
2. Acidized all perfs 2609-2813 with 2500 gals 15% HCL Acid & 100 BS. AR&P = 4.9 BPM @ 1433#.
3. Fraced in 4 equal stages with a total of::100,000 gals x-link gel, 64,000# 100 M sand, 128,000# 20/40 sand, 48,000# 10/20 sand & 165 gals united scale inhibitor. AR&P for frac = 30 BPM @ 1650#.
4. Rigged up pulling unit; ran 2-3/8" Tbg with SNOE @ 2821'. Ran 16' pump on 3/4" rods.
5. Installed pumping equipment & placed well on production.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE Area Supervisor DATE 7-22-82

APPROVED BY *[Signature]* (This space for Federal or State office use)
CONDITIONS OF APPROVAL SEP 29 1982 TITLE _____ DATE _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

See Instructions on Reverse Side

1362