

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2098

SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☐
OPERATOR	☐

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

7. Unit Agreement Name

8. Farm or Lease Name

9. Well No.

10. Field and Pool, or Wildcat

Atoka Yeso

12. County

Eddy

13. County

Eddy

14. County

Eddy

15. County

Eddy

16. County

Eddy

17. County

Eddy

18. County

Eddy

19. County

Eddy

20. County

Eddy

21. County

Eddy

22. County

Eddy

23. County

Eddy

24. County

Eddy

25. County

Eddy

1a. TYPE OF WELL	OIL WELL ☒	GAS WELL ☐	DRY ☐	OTHER ☐
------------------	--	-----------------------------------	------------------------------	--------------------------------

b. TYPE OF COMPLETION	NEW WELL ☒	WORK OVER ☐	DEEPEN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	OTHER ☐
-----------------------	--	------------------------------------	---------------------------------	------------------------------------	---------------------------------------	--------------------------------

2. Name of Operator

Ralph Nix

3. Address of Operator

P. O. Box 617 Artesia, NM 88210

4. Location of Well

UNIT LETTER <u>F</u> LOCATED <u>2310</u> FEET FROM THE <u>North</u> LINE AND <u>1650</u> FEET FROM
--

THE <u>West</u> LINE OF SEC. <u>26</u> TWP. <u>18S</u> RGE. <u>26E</u> NMPM

15. Date Spudded	16. Date T.D. Reached	17. Date Compl. (Ready to Prod.)	18. Elevations (DF, RKB, RT, GR, etc.)	19. Elev. Casinghead
------------------	-----------------------	----------------------------------	--	----------------------

7/11/82	7/23/82	10/1/82	3313' GL	
---------	---------	---------	----------	--

20. Total Depth	21. Plug Back T.D.	22. If Multiple Compl., How Many	23. Intervals Drilled By	Rotary Tools	Cable Tools
-----------------	--------------------	----------------------------------	--------------------------	--------------	-------------

3450'	3450'	N/A		0-3450'	
-------	-------	-----	--	---------	--

24. Producing Interval(s), of this completion - Top, Bottom, Name	25. Was Directional Survey Made
---	---------------------------------

2719-3367 Atoka Yeso	Yes
----------------------	-----

26. Type Electric and Other Logs Run	27. Was Well Cored
--------------------------------------	--------------------

Gamma Ray Neutron	no
-------------------	----

28. CASING RECORD (Report all strings set in well)
--

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
-------------	----------------	-----------	-----------	------------------	---------------

8 5/8"	24#	920'	12 1/2"	300 sx Circ	
--------	-----	------	---------	-------------	--

4 1/2"	10.5#	3450'	7 7/8"	750 sx Circ	
--------	-------	-------	--------	-------------	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

--	--	--	--	--	--

This form is to be filled with the appropriate information at the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and logging logs run on the well and a summary of all reported tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple casing strings, Items 30 through 34 shall be reported for each zone. The form is to be filled in quadruplicate except on stone land, where six copies are required. Use Table 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

Southeastern New Mexico

T. Any	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
T. Salt	T. Aloka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Gayburg	T. Montoya	T. Mancos	T. McCracken
T. Sen Andres	T. Simpson	T. Gallup	T. Ignacio Quartz
T. Clotilda	T. McKee	T. Base Greenhorn	T. Granite
T. Padlock	T. Ellenburger	T. Dakota	T.
T. Blinberry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todillo	T.
T. Dinkard	T. Delaware Sand	T. Entrada	T.
T. Abo	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from	to	No. 4, from	to
No. 2, from	to	No. 5, from	to
No. 3, from	to	No. 6, from	to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet
No. 4, from	to	feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	380	380	Gravel & red beds				
380	1080	700	Anhydrite & shale				
1080	2614	1534	Dolomite				
2614	3450	836	Sand & Dolomite				

RECEIVED

OCT 27 1982

WELL NAME AND NUMBER LYNN #1LOCATION DAYTON FIELD, EDDY COUNTY, NEW MEXICOOPERATOR RALPH NIX OIL COMPANYDRILLING CONTRACTOR SALAZAR BROTHERS DRILLING, INC.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and has conducted deviation tests and obtained the following results:

Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
<u>1/4° @ 480 ft.</u>		
<u>1/2° @ 920 ft.</u>		
<u>1° @ 1486 ft.</u>		
<u>1 1/2° @ 1963 ft.</u>		
<u>1 3/4° @ 2590 ft.</u>		
<u>1 3/4° @ 3292 ft.</u>		
<u>1 3/4° @ 3450 ft.</u>		

Drilling Contractor Salazar Brothers Drilling, Inc.By: Ralph HargreavesTitle: Secretary-Treasurer

Subscribed and sworn to before me this 28th day of July, 19 82



OFFICIAL SEAL
RITA S. PHAGAN
NOTARY PUBLIC - NEW MEXICO
Notary Bond Filed with Secretary of State
My Commission Expires 2/19/85

My Commission Expires:

Rita Phagan
Notary Public

County _____

