

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO.  
30-015-24244

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.  
LC-063808

7. Lease Name or Unit Agreement Name:  
BALLARD GRAYBURG SAN ANDRES UNIT  
TRACT 16

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other WATER INJECTION WELL

2. Name of Operator  
Anadarko Petroleum Corp.

3. Address of Operator  
P.O. Box 2497 Midland, TX 79702

4. Well Location

Unit Letter F : 2310 feet from the NORTH line and 1980 feet from the WEST line

Section 17 Township 18S Range 39E <sup>29</sup> NMPM County EDDY

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
N/A

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

1. MIRUPU. KILL WELL. NDWH. NU & TEST BOPE. RLSE PKR & POOH W/TBG.
2. RIH W/TBG TO 2760'. CIRC HOLE W/MUD.
3. SET CIBP @ 2470'. SPOT 25 SX CL C CMT ON PLUG. WOC. TAG PLUG.
4. PERFORATE CSG @ 825'. SET CR @ 675'. STING INTO CR & EST RATE. PUMP 100 SX CL C. STING OUT OF CR & DUMP 10 SX CL C ON PLUG. (BASE OF SALT)
5. PUH TO 425'. Perforate CSG @ 425'. squeeze 100' cmt Plug. Inside + Outside CSG. TAG
6. FILL CSG WITH CMT TO SURFACE. CUT OFF & INSTALL P&A MARKER.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE SABRA WOODY TITLE ENGR TECH III DATE 03/01/01

Type or print name SABRA WOODY Telephone No. 915/683-0534

(This space for State use)


APPROVED BY Record Only TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of approval, if any:

# Ballard Unit Tr.16 #1

Grayburg/San Andres

2310' FNL & 1980' FWL, Sec. 17, T18S, R29E, Eddy County, New Mexico

Spudded 8/22/1982



8 5/8" 24# K-55 @ 355'

Cmt w/300sx CI H

12 1/4" Hole to 365

4 1/2" Watson SL Inj Pkr @ 2428'

**Grayburg Metex**

Perf 2494-2508, 2519-25, 2533-37, 2563-73, 2603-10, 2616-21, 1SPF

**Grayburg Premier**

Perf 2638-44, 2651-54, 2657-63, 2672-89, 1SPF

4 1/2" 10.5# J-55 @ 2779'

Cmt w/800sx, circ 100 sx

7 7/8" Hole to 2780'

TD @ 2780'

PBTD @ 2762'