

FIELD REPORT FOR CEMENTING OF WELLS

Operator		Superior Oil Co.		Lease		Artesia State		Well #		1	
Location of Well		Unit		Section		Township		Range		County	
		L		23		18S		27E		Eddy	
Drilling Contractor		Wes-Tex Drilng. Co.				Type of Equipment					
						Rotary					
* Witness Byron Jackson Boothby 90-92											
APPROVED CASING PROGRAM											
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement						
	16"	65#	NEW	40'	Circ						
11"	8 5/8"	32#	"	350'	Circ						
7 7/8"	5 1/2"	15.5#	"	2200'	Circ						
Casing Data:											
Surface _____ joints of _____ inch _____ # Grade _____											
(Approved) (Rejected)											
Inspected by _____ date _____											
Cementing Program											
Size of hole <u>11</u> Size of Casing <u>8 5/8</u> Sacks cement required _____											
Type of Shoe used <u>Guide</u> Float collar used <u>Insert</u> Btm 3 jts welded <u>yes</u>											
TD of hole <u>350</u> Set <u>360</u> Feet of <u>8 5/8</u> Inch <u>24</u> # Grade <u>J-55</u>											
New-used csg. @ <u>360</u> with <u>180</u> sacks neat cement around shoe											
+ _____ sax _____ additives _____											
Plug down @ <u>9:30</u> (AM) (PM) Date <u>10-6-82</u>											
Cement circulated <u>No</u> No. of Sacks _____											
Cemented by <u>Byron Jackson</u> Witnessed by _____											
Temp. Survey ran @ <u>5:00</u> (AM) (PM) Date <u>10-6-82</u> top cement @ <u>85</u>											
Casing test @ _____ (AM) (PM) Date _____											
Method Used _____ Witnessed by _____											
Checked for shut off @ _____ (AM) (PM) Date _____											
Method used _____ Witnessed by _____											
Remarks: <u>Loss zone 90-92 140-150</u>											
<u>Raw 1" to 85 Ft Cemented With 100 SX Class C Circulated</u>											
<u>10 SX</u>											