

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Yates Pet. Co.</u>		Lease <u>Merchant XT com.</u>		Well # <u>1</u>	
Location of Well	Unit <u>A</u>	Section <u>12</u>	Township <u>18</u>	Range <u>25</u>	County <u>EDDY</u>
Drilling Contractor	<u>LANDIS</u>		Type of Equipment <u>ROTARY</u>		

* Witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
17"	13 3/8"	48 #	NEW	450'	CIRC
* 12 1/4"	8 5/8"	24 #	NEW	1250'	"
7 7/8"	5 1/2 or 4 1/2	15.5 - 17 # or 10.5 - 11.6 #	NEW	TD	"

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required _____

Type of Shoe used Tex-Pat Float collar used Insert Btm 3 jts welded yes

TD of hole 1282 Set 1284 Feet of 8 5/8 Inch 24 # Grade J-55

New-used csg. @ 1284 with 800 sacks neat cement around shoe

+ _____ sax _____ additives _____

Plug down @ 2:15 (AM) (PM) Date 9-27-83

Cement circulated NO No. of Sacks _____

Cemented by Hawco Witnessed by B.W. Weaver

Temp. Survey ran @ 8:15 (AM) (PM) Date 9-27-83 top cement @ 350

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: Loss Circulation 1003

Ran 1" to 375 and Cemented With 235 SX Class C 4% CC

Tagged @ 124 FT Circ Cement With 50 SX Class C Finish 12:00 AM