

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMITTING
(Other Instru-
verse side)

LICATE
(S on re-

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

NM-34461

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

OCT 11 3 37 PM '88

CARLE
AREA

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

George A. Denton

3. ADDRESS OF OPERATOR

P.O.Box 1252, Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

330' FNL & 2310' FEL

Sec. 21, T-18-S., R-29-E.

RECEIVED

OCT 19 1988

O. C. D.

ARTESIA OFFICE

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3509' GR.

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

ARCO Federal

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

Los Hills-On/CB/SA

11. SEC., T., R., M., OR BLM, AND SURVEY OR AREA

Sec. 21, T-18-S., R-29-E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to plug and abandon the above captioned well in the following manner. The cement on the 5½" casing was circulated to surface when run. All plugs are inside of 5½" casing.

Procedure: 1. Pump 25 sx. Class C cement from 1660' to 1460'.
Allow to set and tag.

2. Pump 25 sx. Class C cement from 410' to 310'.

3. Pump 10 sx. Class C cement from 50' to Surface.

Total of 60 sacks Class C cement. Well will be plugged as soon as the procedure is approved. BLM will be notified prior to all work.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Operator

DATE October 11, 1988

(This space for Federal or State office use)

APPROVED BY CHIEF, MINERAL SERVICES
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE 10-18-88

*See Instructions on Reverse Side