

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION

Drawer DD

Artesia, NM 88210

FORM APPROVED  
Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-34452

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Northwestern Shores XR Fed

9. API Well No. Com #1

30-015-24600

10. Field and Pool, or Exploratory Area

Undesignated Yeso

11. County or Parish, State

Eddy Co., NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

YATES PETROLEUM CORPORATION (505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FNL & 1980' FEL of Section 36-T18S-R26E (Unit B, NWNE)

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment  
☒ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Propose to abandon Abo perforations 6046-6070' and recomple to Yeso as follows:

1. Swab test Abo perforations 6046-6070' to determine fluid content.
2. Ensure well is dead. Nipple down tree and nipple up and test BOP. Release packer and POOH with tubing and packer.
3. Set CIBP at 6000'± and cap with 35' of cement to abandon Abo perforations 6046-6070'.
4. Perforate Yeso from 3000-3600'.
5. Stimulate as necessary.
6. Swab/pump test.

14. I hereby certify that the foregoing is true and correct

Signed Joe G. Lara  
(This space for Federal or State office use)  
(ORIG. SGD.) JOE G. LARA

Title Production Clerk

Date Feb. 6, 1995

Approved by  
Conditions of approval, if any:

Title PETROLEUM ENGINEER

Date 2/17/95