

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	
T. Salt	
B. Salt	
T. Yates	
T. 7 Rivers	
T. Queen	
T. Greyburg	
T. San Andres	1135
T. Glorieta	2650
T. Paddock	
T. Blinebry	
T. Tubb	
T. Drinkard	
T. Abo	
T. Wolfcamp	
T. Penn.	
T. Cisco (Bough C)	

Northwestern New Mexico

T. Canyon	
T. Strawn	
T. Atoka	
T. Miss.	
T. Devonian	
T. Silurian	
T. Mentoya	
T. Simpson	
T. McKee	
T. Ellerburger	
T. Gr. Wash	
T. Granite	
T. Delaware Sand	
T. Bone Springs	
T.	
T. Ojo Alamo	
T. Kirtland-Proutland	
T. Pictured Cliffs	
T. Cliff House	
T. Menefee	
T. Point Lookout	
T. Gallop	
T. Base Greenhorn	
T. Dakota	
T. Morrison	
T. Tedrite	
T. Entrada	
T. Wingate	
T. Chinle	
T. Permian	
T. Penn. "A"	

OIL OR GAS SANDS OR ZONES

No. 1, from.....	to.....	No. 4, from.....	to.....
No. 2, from.....	to.....	No. 5, from.....	to.....
No. 3, from.....	to.....	No. 6, from.....	to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....	to.....	feet.....
No. 2, from.....	to.....	feet.....
No. 3, from.....	to.....	feet.....
No. 4, from.....	to.....	feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	580	580	Redbeds, Surface Rock				
580	884	304	Redbeds				
884	978	94	Anhydrite				
978	1490	512	Lime, Shale				
1490	1757	267	Anhydrite, Lime				
1757	2035	278	Lime, Shale				
2035	2222	187	Anhydrite, Lime				
2222	3800	1578	Lime				