## NEW MEXICO OIL CONSERVATION COMMISSION DRAWER DD ARTESIA, NEW MEXICO

## FIELD REPORT FOR CEMENTING OF WELLS

Operator RO	Lease	Lease				Well #		
Location	Unit Section			Township		Range	County	
of Well	Well G 35			./8		26	EDDY	
Drilling Type of Equipment								
Contractor		ROTARY						
* Witness		APPROV	ED CASI	NG PRC	GRAM	<u>1</u>		
Size of Hole	f Hole Size of Casing		Weight Per Foot		New	v or Used	Depth	Sacks Cement
* 12"4"	121/4" 8 5/8"		Z4 <sup>#</sup>			NEW	1000	LIRC
718"	7 <sup>-1</sup> /8" 5 <sup>1</sup> /2"		JS,5 <sup>#</sup>			14	-38 <i>DD</i> '	LIRC
Casing Data:								
Surfacejoints ofinch# Grade								
(Approved) (Rejected)								
Inspected by date								
Cementing Program								
Size of hole <u>11/y</u> Size of Casing <u>857</u> Sacks coment required								
Type of Shoe used Tex-Ast Float collar used Float GHB tm 3 jts welded Yes								
TD of hole 872 Set 872 Feet of 85 Inch 24 # Grade J-55								
New-used csg. @ 872 with 200 sacks neat coment around shoe								
+ 350 sax Howco life additives								
Plug down @ <u>1159</u> (AM) (PM) Date <u>11-12-83</u>								
Cement circulated yes No. of Sacks 40								
Cemented by Hawco Witnessed by BUWeaver Temp. Survey ran @ (AM) (PM) Date top cement @								
Casing test @(AM) (PM) Date								
Method Used Witnessed by								
Checked for shut off @ (AM) (PM) Date								
Method used			. •					
Remarks: <u>Last Prilling Break</u> 826 Ft								
<b>.</b>		·····						
		·····			_			