


NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.O.S.	<input checked="" type="checkbox"/>
LAND OFFICE	<input checked="" type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501



Form C-103  
Revised 10-1-75

5. Indicate Type of Lease  
State ☐ Fee ☒  
6. State Oil & Gas Lease No.

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

Name of Operator  
Yates Petroleum Corporation ✓  
Address of Operator  
207 South 4th St., Artesia, NM 88210

Location of well  
UNIT LETTER N 990 FEET FROM THE South LINE AND 2310 FEET FROM  
THE West LINE, SECTION 26 TOWNSHIP 18S RANGE 25E NMPM.

7. Unit Agreement Name  
8. Firm or Lease Name  
Bonnie YM  
9. Well No.  
1  
10. Field and Pool, or Wildcat  
Penasco Draw SA-Yeso  
Associated  
11. Elevation (Show whether DF, RT, GR, etc.)  
3486' GR  
12. County  
Eddy

### Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

#### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐  
TEMPORARILY ABANDON ☐  
PULL OR ALTER CASING ☐  
OTHER ☐  
PLUG AND ABANDON ☐  
CHANGE PLANS ☐

#### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING TEST AND CEMENT JOBS ☐  
OTHER Intermediate Casing ☒  
ALTERING CASING ☐  
PLUG AND ABANDONMENT ☐

1. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Ran 25 jts 8-5/8" 24# K-55 casing set 1090'. 1-Texas Pattern notched guide shoe set 1090'. Insert float set 1047'. Cemented w/400 sacks Pacesetter Lite, 3#/sack Hiseal, 3% CaCl<sub>2</sub>. Tailed in w/200 sacks Class "C" 2%. Compressive strength of cement - 1250 psi in 12 hrs. PD 8:15 PM 12-9-83. Bumped plug to 1000 psi, released pressure and float held okay. Cement did not circulate. WOC 6 hrs. Ran Temperature Survey and found top of cement at 520'. Ran 1". Tagged cement 462'. Spotted 50 sacks Class "C" 4% CaCl<sub>2</sub>. PD 3:15 AM 102-10-83. WOC 2 hrs. Ran 1". Tagged at 410'. Spotted 100 sacks Class "C" 4% CaCl<sub>2</sub>. PD 6:15 AM 12-10-83. WOC 2 hrs. Ran 1". Tagged cement at 65'. Spotted 30 sacks Class "C" 5% CaCl<sub>2</sub>. PD 8:20 AM 12-10-83. Cement circulated 10 sacks. WOC. Drilled out 6:30 PM 12-10-83. WOC 22 hrs and 15 minutes. NU and tested to 1000 psi for 30 minutes, okay. Reduced hole to 7-7/8". Drilled plug and resumed drilling.

2. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Leslie A. Clements TITLE Production Supervisor DATE 12-13-83  
Original Signed By  
Leslie A. Clements  
Supervisor District II  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE DEC 14 1983

CONDITIONS OF APPROVAL, IF ANY: