## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducied, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

# INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Southeastern New Mexico

## Northwestern New Mexico

			_	m		т	Penn. "B"
Т.	Anhy	Т.	Canyon	1. m		т. т	Penn. "B"
т.	Salt	Τ.	Strawn	Т.	Kirtland-Fruitland	1. m	Penn. "C"
B.	Solt	Т.	Atoka	Τ.	Pictured Cliffs	1.	Penn. "D"
т.	Yates	Т.	Miss	Τ.	Cliff House	1.	Leadville
~	7 D'	т	Devonian	Τ.	Menefee	. <b>1</b> .	Madison
	<u>^</u>	T	Silurian	Т.	Point Lookout	Т.	Elbert
		т	Montova	Τ.	Mancos	Т.	McCracken
_	<sup>1</sup> 0 1 1 709	T	Simpson	Τ.	Gallup	. <b>1</b> .	Ignacio Quere
-	Will Veso 2020	т	McKee	Bas	se Greenhorn	. Т.	Granite
~	D. 14 1.	т	Filenburger	Т.	Dakota	. T.	
Т.	Paddock	т. Т	Gr. Wash	т	Morrison	Т.	
Т.	Blinebry	. 1.	Gr. wash	а. Т	Todilto	т.	
Т.	Tubb	Т.	Granite	ч. Т	E -t- ada	т	
т.	Drinkard	Т.	Delaware Sand	1.		T	
т.	Abo	<b>. T</b> .	Bone Springs	. Т.	Wingate	. I. T	
r.	Wolfcamp	т.		Τ.	Chinle	. 1.	
		T		. T.	Permian	- T.	
т	Cisco (Bough C)	Т.		. <b>T</b> .	Penn. "A"	. <b>T</b> .	
			OIL OR GAS	S	ANDS OR ZONES		
No.	1, from		_to	No	o. 4, from		
No.	3, from	•••••	_10	No	o. 6, from		to

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1,	fromtofeet.	
No. 2,	fromfeet.	
No. 3,	fromfeet.	•••••••••••••••••••••••••••••••••••••••
No. 4,	fromfcet.	
	FORMATION RECORD (Attach additional sheets if necessa	ry)

MATION RECORD	(Attach additional	sheets it necessary)
---------------	--------------------	----------------------

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0	40	40	Surface Rock, Gravel				
40	634	594	Redbeds				
634	1090	456	Redbeds, Anhydrite				
1090	1372	282	Anhydrite, Lime				
1372	2301	929	Lime				
2301	2866	565	Lime, Sand	-			
2866	3250	384	Lime				
					1		
					ł		
	}						
	ļ					1	1