

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYNM OIL CONS. COMMISSION
SUBMIT IN TR. DATE
Dr. (Title) instruct on re-
Artesia, NM 88210Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.NM 01159
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Holly Energy, Inc.	8. FARM OR LEASE NAME Nelson Federal
3. ADDRESS OF OPERATOR P.O. Box 726 Artesia, New Mexico 88210	9. WELL NO. 8
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 774' FNL 2226' FWL Sec 3 T-18S R-30E	10. FIELD AND POOL, OR WILDCAT Ind. Cedar of Ash Loco Hills-Morrow
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 3 T-18S R-30-E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3535.5	12. COUNTY OR PARISH Eddy
	13. STATE NM

16 Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐
REPAIR WELL ☐	CHANGE PLANS ☐


SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
OTHER ☐	Drilling and setting intermediate

(NOTE: Report results of multiple completion on Well Completion or Recapture (not Report and Log form.)

17. If well is shut-in or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Drill 11" hole to 3532' with water flow, Encountered @ 3018'.
Run 85 joints 3568' 8 5/8" 32K-STC casing and set @ 3532'
with 8 5/8" external casing packer @ 2932' D.V. tool 2926.
Cement 1st stage with 250 sacks class C 5# salt 3/10 CFR-2
set packer, circulate 70 sacks to pit, open D.V. tool. Pump 1400
sacks hal-lite 15# salt 1/2# flo-cele, 100 sacks class C. Plug
down 4:00 p.m., 1-26-84. Circulate 400 sacks to pit. Work
witnessed by Minerals Management.



18. I hereby certify that the foregoing is true and correct

SIGNED

Robert J. ...

TITLE Production Superintendent

DATE 2-29-84

ACCEPTED FOR RECORD

(This space for Federal or State office use)

APPROVED BY

GW

TITLE

DATE

CONDITIONS OF APPROVAL

MAY 14 1984

Carlsbad,

NEW MEXICO

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED BY
MAY 11 1984
O. C. D.
ARTESIA, OFFICE

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM01159

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Nelson Federal

9. WELL NO.

8

10. FIELD AND POOL OR SURFACE
Und. Cedar Lake
Loco Hills-Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 3, T-18S R-30E

1. OIL ☐ GAS ☐ WELL ☒ OTHER ☐

2. NAME OF OPERATOR
Holly Energy, Inc.

3. ADDRESS OF OPERATOR
P.O. BOX 726 Artesia, New Mexico 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

174 FNL 2226 FWL Sec 3 T-18S R-30E

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3535.5 GR

12. COUNTY OR PARISH 13. STATE

Eddy

N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐ PULL OR ALTER CASING ☐
PRA TREATMENT ☐ MULTIPLE COMPLETE ☐
SHOOTING OR ACIDIZING ☐ ABANDON* ☐
PLUG WELL ☐ CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐ REPAIRING WELL ☐
FRACTURE TREATMENT ☐ ALTERING CASING ☐
SHOOTING OR ACIDIZING ☐ ABANDONMENT* ☐
(Other) Spud and set surface

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. SUMMARY OF COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)

Spud well 4 p.m., 1-17-84. Drill 17 1/2" hole 498'.
Set 498' new 13 3/8" 54.50 K cement with 300 sacks
Class C, 3# hyseal, 1/2# celloseal, 2% cacl., and 225
sacks Class C 2% Cacl. Plug down 8:45, 1-18-84.
Circulated 5 sacks to pit. Witnessed by Minerals
Management. After waiting 18 hours, test casing 1000#
for 30 minutes. Drill out with 11" bit.

RECEIVED
JAN 23 10 51 AM '84
BUR. OF LAND MGMT
ROSWELL DISTRICT

18. I hereby certify that the foregoing is true and correct

SIGNED *Robert J. [Signature]*
ACCEPTED FOR RECORD
(This space for Federal or State office use)

TITLE Production Superintendent DATE 1-20-84

APPROVED BY *GWO*
CONDITIONS OF APPROVAL IF 9/1984

TITLE DATE

Carlsbad

NEW MEXICO

*See Instructions on Reverse Side

