

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER 110
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Exp 9-84

Operator YPC		Lease PLATT PA		Well # 9	
Location of Well	Unit M	Section 26	Township 18 S	Range 26 E	County EDDY
Drilling Contractor	L&M 2		Type of Equipment ROTARY		
* Witness <u>APPROVED CASING PROGRAM</u>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
* 12 1/4"	8 5/8"	24#	NEW	980'	CIRC
7 7/8"	4 1/2"	9.5#	"	TD	CIRC
Casing Data:					
Surface <u>25</u> joints of <u>8 5/8</u> inch <u>24</u> # Grade <u>J-55</u> (Approved) (Rejected)					
Inspected by _____ date _____					
Cementing Program					
Size of hole <u>12 1/4</u> Size of Casing <u>8 5/8</u> Sacks cement required <u>200</u>					
Type of Shoe used <u>Tex-Art</u> Float collar used <u>Insert</u> Btm 3 jts welded <u>Yes</u>					
TD of hole <u>980</u> Set <u>982</u> Feet of <u>8 5/8</u> Inch <u>24</u> # Grade <u>J-55</u>					
New-used csg. @ <u>982</u> with <u>200</u> sacks neat cement around shoe					
+ <u>400</u> sax <u>Pace Setter lite</u> additives <u>3% CC</u>					
Plug down @ <u>4:30</u> (AM) (PM) Date <u>2-9-84</u>					
Cement circulated <u>Yes</u> No. of Sacks <u>40</u>					
Cemented by <u>Western</u> Witnessed by <u>BW Weaver</u>					
Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: _____					