

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator Y. P. C.		Lease TORREINGTON ZK		Well # 1	
Location of Well	Unit J	Section 8	Township 18	Range 26	County Eddy
Drilling Contractor	UNDES.		Type of Equipment ROTARY		

*** = CSG. TO WITNESS**

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cemen
17"	13 3/8	48#	NEW	450	CIRC
* 12 1/4"	8 5/8	24#	"	1350	CIRC
7 7/8	5 1/2" or 4 1/2"	15.5 - 17# 10.5 - 11.6#	"	TD	250 SX

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 650 + 1*

Type of Shoe used TR Float collar used none Btm 3 jts welded yes

TD of hole 1286 Set 1290 Feet of 8 5/8 Inch 24 # Grade J 50

New-used csg. @ 1286 with 200 sacks neat cement around shoe 2% CC
+ 450 sax PACSETER LITE additives 2% CC

Plug down @ 4:35 (AM) (PM) Date 7/29/84

Cement circulated NO No. of Sacks _____

Cemented by WESTON Witnessed by Tom Bork

Temp. Survey ran @ 10:35 (AM) (PM) Date 7/30/84 top cement @ 848

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: * 1st st Tagged @ 827 Pumped 220 srs. circ. 420. broke on fr. 1st
2nd st. Tagged @ 412 Pumped 70 srs. a/c 3% cc
3rd st. " " 402 " 50 " " "
4th st. " " " 98 " " "
5th st. " " " 75 " " "