

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENTRECEIVED BY
OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG
ARTESIA, OFFICE

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

TYPE OF COMPLETION
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

Name of Operator

Blanco Engineering, Inc.

Address of Operator

116 North First Street, Artesia, New Mexico 88210

Location of Well

UNIT LETTER L LOCATED 2260 FEET FROM THE South LINE AND 330 FEET FROM

West LINE OF SEC. 25 TWP. 18S RGE. 26E NMPM

15. Date Spudded 11-9-84 16. Date T.D. Reached 11-16-84 17. Date Compl. (Ready to Prod.) 1-1-85 18. Elevations (DF, RKB, RT, GR, etc.) 3283 GR 19. Elev. Casinghead 3288'

20. Total Depth 3750' 21. Plug Back T.D. 3699' 22. If Multiple Compl., How Many - 23. Intervals Drilled By Rotary Tools 0 - 3750' Cable Tools -

24. Producing Interval(s), of this completion - Top, Bottom, Name 2873 - 3549 - Yeso (Glorietta) 25. Was Directional Survey Made Yes

26. Type Electric and Other Logs Run GR/N - CCL 27. Was Well Cored No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	2.4# New	925'	12 1/4	500 sx. Class C	Circulated
5 1/2	15.5# New	3750'	7 7/8	725 sx. Howco Lite	Circulated

LINER RECORD					TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	3507'	None

1. Perforation Record (Interval, size and number)

2873-3549, 43 - .50" shots

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2873-3549'	6000 gals. 15% NE Acid
	280,000# frac sand
	180,000 gals. gelled water

33. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)					Well Status (Prod. or Shut-in)	
1-1-85	Pumping 2 1/2 X 2' X 12'					Prod.	
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
1-2-85	24	Open		75.0	30.0	210	400 to 1
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	
Pump	40#		75.0	30.0	210	38	

34. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold Test Witnessed By Paul G. White

35. List of Attachments
Electric Log - Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

Paul G. White

TITLE

President

DATE January 2, 1985

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>1155</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta <u>2826</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinbry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from <u>2873</u> to <u>3549</u>	No. 4, from _____ to _____
No. 2, from _____ to _____	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet	_____
No. 2, from _____ to _____ feet	_____
No. 3, from _____ to _____ feet	_____
No. 4, from _____ to _____ feet	_____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	607	607	Red Bed				
607	925	318	Anhydrite				
925	1580	655	Anhydrite				
1580	2355	775	Anhydrite-Shale-Clay				
2355	2955	600	Anhydrite-Dolomite				
2955	3485	530	Anhydrite-Streaks of Dolomite				
3485	3750	265	Anhydrite-Streaks of Sand				

ARTESIA FISHING TOOL COMPANY

P. O. BOX ~~8210~~ PHONE (505) 746-6651

470

ARTESIA, NEW MEXICO 88210

November 23, 1984

Blanco Engineering, Inc.
112 N. First Street
Artesia, NM 88210

Re: Scripps #5-L
330' FWL & 2310' FWL
Sec. 25, T18S, R26E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
451'	1/4°
925'	3/4°
1505'	1°
2000'	1°
2524'	1°
3018'	1 1/4°
3750'	1°

Very truly yours,




B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 23rd day of November, 1984.



NOTARY PUBLIC

