

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>H&S Oil Co.</u>		Lease <u>Lutton</u>		Well # <u>2</u>	
Location of Well	Unit <u>P</u>	Section <u>23</u>	Township <u>18</u>	Range <u>26</u>	County <u>Eddy</u>
Drilling Contractor	<u>Lane Dring.</u>		Type of Equipment <u>Rotary</u>		

APPROVED CASING PROGRAM

*** WITNESS**

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cemen
* <u>12 1/2</u>	<u>8 5/8"</u>	<u>24*</u>	<u>NEW</u>	<u>960</u>	<u>circ</u>
<u>7 7/8</u>	<u>5 1/2"</u>	<u>15#</u>	<u>"</u>	<u>3700</u>	<u>670</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____

(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 12 1/4" Size of Casing 8 5/8" Sacks cement required _____

Type of Shoe used guide Float collar used insert Btm 3 jts welded yes

TD of hole 930' Set 930' Feet of 8 5/8" Inch 24 # Grade J-55

New-used csg. @ 930' with 700 sacks neat cement around shoe

+ _____ sax _____ additives _____

Plug down @ 7830 (AM) (PM) Date 12/15/84

Cement circulated yes No. of Sacks 50 sr

Cemented by Dowell Witnessed by Mike Stillfield

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____