

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPL
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

LC 062049

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Roadrunner Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

South Lee Queen Grayburg - SA

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Unit J, Sec. 35-18S-29E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

MYCO Industries, Inc.

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)
At surface

1980 FSL & 1980 FEL, Sec. 35-T18S-R29E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3412' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

PULL OR ALTER CASING

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Perforate, Treat

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-11-85. WIH and perforated 2908-42' w/7 .50" holes as follows: 2908, 10, 13, 15, 38, 40 and 42'. WIH and perforated 2607-2850' w/34 .50" holes as follows: 2607, 08, 09, 10, 61, 65, 66, 67, 2758, 59, 68, 69, 70, 71, 78, 84, 85, 86, 93, 95, 96, 98, 99, 2803, 04, 05, 27, 28, 32, 33, 43, 46, 48 and 50'.

1-16-85. Acidized perms 2908-42' w/1500 gals 15% NEFE acid.

1-17-85. Swabbed well. Set cement retainer at 2884'. Squeezed perms 2908-42' w/100 sx Class "C" .3% Halad-4, squeezed to 1400 psi. Left 5' cement on top of retainer.

1-18-85. Acidized perms 2758-2850' w/4000 gals 7 1/2% NEFE acid with ball sealers.

1-20-85. Acidized perms 2607-2667' w/1500 gals 7 1/2% NEFE acid.

1-22-85. Frac'd perforations 2607-2850' w/100000 gals gelled 2% KCL water and 140000# (80000# 20/40 and 60000# 10/20) sand.

1-24, 25-85. Recovering load.

18. I hereby certify that the foregoing is true and correct

SIGNATURE

Antonio Rodditt

TITLE Production Supervisor

DATE 1-28-85

(This space for Federal or State office use)

APPROVED BY

ACCEPTED FOR RECORD

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JAN 30 1985

*See Instructions on Reverse Side