W. OF COPIES SCEENES		
DISTRIBUTION		-
SANTA FE	V	
FILE		~
U.S.G.S.		
LAND OFFICE		
OPERATOR	1	

CIL CONSERVATION DIVISION P. O. BOX 2088

Form C-103 - Revised 10-1

July 25,1986;	acid. Frac with 30 20/40 sand and 23,8 Pump well on pump.	and. 00'. Acidized with ,000 gallons WF 30 50 # 12/20 sand.	500# 20/40 sand 500 gallons 15%
July 25,1986;	Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8 Pump well on pump.	and. OO'. Acidized with, 000 gallons WF 30 50 # 12/20 sand.	500# 20/40 sand 500 gallons 15%; using 35,500#
July 25,1986;	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8 Pump well on pump.	and. 00'. Acidized with ,000 gallons WF 30 50 # 12/20 sand.	500# 20/40 sand 500 gallons 15%
July 25,1986;	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
July 25,1986;	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30 20/40 sand and 23,8	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
. •	and 24,000# 12/20 s Perforated 2486'-25 acid. Frac with 30	and. 00'. Acidized with ,000 gallons WF 30	500# 20/40 sand 500 gallons 15%
	and 24,000# 12/20 s Perforated 2486'-25	and. 00'. Acidized with	500# 20/40 sand 500 gallons 15%
	and 24,000# 12/20 s	and.	500# 20/40 sand
,			
July 24,1986:	Perforated 2828 1-28	41' Acidized with	500 gallons 15%
ork) SEE RULE 1103.	· ·		
	Operations (Clearly state all pertinent de	ails, and give pertinent dates, inc	luding estimated date of starting any proj
OTHE#		JIMEN COMPTEC	<u> </u>
L OR ALTER CABING	CHANGE PLANS	OTHER COMPLET	ion
APORARILY ABANOON	PLUG AND ABAHDÓN	COMMENCE DRILLING OPHS.	PLUG AND ABANDONME
	PLUG AND ABAHDON	REMEDIAL WORK	ALTERING CASING
	F INTENTION TO:	-	QUENT REPORT OF:
	3429 Gr ck Appropriate Box To Indicate	Nature of Notice Report	or Other Data
	15. Elevation (Show wheth	er DF, RT, GR, etc.)	12. County
THE LINE, S	ECTION 36 TOWNSHIP 18	D RANGE ZYE	_ HMPM.
		e 20E	
	2310 FEET FROM THE SOU	th ARTESIA, OFFICE	Turkey Track, Qn
P.O.Box 1393,	Roswell, N.M. 88201	0. C. D.	10. Field and Pool, or Wildcat
Address of Operator		AUG 23 1900	9. Well No.
Fred Pool Dril	ling, inc.	0.5 1006	P.J. State
well X WELL Amme of Operator	OTHER-	RECEIVED BY	8, Form or Lease Name
USE APPL	ICATION FOR PERMIT -** (FORM C-101) FOR S	UCH PROPOSALS.)	7. Unit Agreement Name
11	IDRY NOTICES AND REPORTS OF PROPOSALS TO DRILL OR TO DEEPEN OR PLUI	N WELLS	
SUN	IDDY MOTICES AND DEDODES O		LG 4171
	IDDY NOTICES AND DEPORTS		4
DPERATOR SUN	IDDY NOTICES AND DEPORTS		5. State Oil & Gas Lease No.
OPERATOR	IDDY NOTICES AND BEDORTS		4