

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYU.S. CONS. COMMISSION
Artesia, N.M. 88210
SUBMIT IN DUPLICATE
RECEIVED
Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR
Frank O. Elliott d/b/a Elliott Oil Company ✓

3. ADDRESS OF OPERATOR
Post Office Box 1355, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 2310' FNL and 1593' FVL
At top prod. interval reported below
At total depth

5. LEASE DESIGNATION AND SERIAL NO.
LC-069111

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Parcell Federal

9. WELL NO.
2

10. FIELD AND POOL, OR WILDCAT
Turkey Track SR-Q-G-SA

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
31-18S-30E

12. COUNTY OR PARISH
Eddy

13. STATE
NM

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 1-23-88 16. DATE T.D. REACHED 2-18-88 17. DATE COMPL. (Ready to prod.) 3-3-88 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 3426' Grd. 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 2998' 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY 327-2998' 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 2523-2630' Queen, 2911-2751' Grayburg 25. WAS DIRECTIONAL SURVEY MADE Attached

26. TYPE ELECTRIC AND OTHER LOGS RUN
DLL, FDC, CNL, GR

27. WAS WELL CORED
No

CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	327'	12 1/2" circ'd	200 sxs. 2% CaCl and 200	sxs. 4% CaCl
5 1/2"	15.5#	2996'	7 7/8" circ'd	450 sxs. Lite and 170 sxs.	Premium Plus

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	2880'	No

PERFORATION RECORD (Interval, size and number)		ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2911-2751' w/29.		2911-2751'	3000 gal. 15% NEFE F/60,000 gal.
		gelled 2% w/625	sxs. 20/40 and 900 sxs. of 12/20
2524-2630' w/19.		2524-2630'	1500 gal. 15% NEFE F/30,000 gal.
		gelled 2% w/360	sxs. 20/40 and 330 sxs. of 12/20

33.* PRODUCTION

DATE FIRST PRODUCTION 3-5-88 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping WELL STATUS (Producing or shut-in) Producing

DATE OF TEST 3-17-88 HOURS TESTED 24 hrs. CHOKER SIZE n/a PROD'N. FOR TEST PERIOD 45 OIL—BBL. 45 GAS—MCF. TSTM WATER—BBL. 18 GAS-OIL RATIO

FLOW. TUBING PRESS. n/a CASING PRESSURE n/a CALCULATED 24-HOUR RATE 45 OIL—BBL. 45 GAS—MCF. TSTM WATER—BBL. 18 OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented TEST WITNESSED BY Morgan

35. LIST OF ATTACHMENTS
Survey, DLL, LDT

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Chuck Morgan TITLE Agent for Elliott Oil Co. DATE March 18, 1988

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:				38. GEOLOGIC MARKERS			
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES							
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE V	WT. DEPTH
	0	354	Caliche	Base of Salt	1160		
	354	1160	Salt				
	1173	1440	Anhydrite	Queen	2398		
	1440	1500	Sand	Grayburg	2774		
	1500	2398	Sand and dolomite				
	2398	2774	Anhydrite, salt and dolomite				
	2774	T.D.	Sand and dolomite				

ARTESIA FISHING TOOL COMPANY

P. O. BOX 470 PHONE (505) 746-6651

470

ARTESIA, NEW MEXICO 88210

RECEIVED

MAR 31 '88

O. C. D.
ARTESIA OFFICE

February 23, 1988

Elliott Oil Company
PO Box 1355
Roswell, NM 88201

Re: Parcel Federal #2 ✓
2310' FNL & 1593' FWL
Sec. 31, T18S, R30E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
338'	1°
602'	1/4°
882'	1°
1100'	3°
1412'	2°
1758'	1°
2284'	1°
2577'	1 1/2°
3000'	1°


Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 23rd day of February, 1988.


NOTARY PUBLIC