,	as and another			SUBMIT IN T	CATE	5	0-01	5-21	358	
Form 3160-3 (November 1983)	LINIT		NM (TT: CONS (Other tasten		Bu	n approved dget Bureau	No. 1004	-0136	
(formerly 9-331C)	UNI DEPARTMEN			DIAD	l de) 1	Ex	pires Augus	t 31, 198	s Y "V	
	DEFARIMEN		Arte	BIA, NM 88210			DESIGNATION	AND SERI	AL NO.	
<u></u>		LAND MANA				NM-68				
APPLICATION	FOR PERMIT	to drill,	DEE	PEN, OR PLUG B	ACK	- 8. IF IN	DIAN, ALLOTTI	OR TRIBE	NAME	
1a. TYPE OF WORK	.L 🖄	DEEPEN	П	PLUG BAG	кП	7. UNIT	AGREEMENT	NAMB		
b. TIPE OF WELL		DELICIT	L J							
OIL X OA				ZONE RECEIVE	ช 🗆		OR LEASE NA			
2. NAME OF OPERATOR	_ /						5 Feder	a]		
Harvey E. Yat	es Company 🖌	·····				9. WELL	NO.			
3. ADDRESS OF OPERATOR		Mautaa 9	0202	, DEC 14'	89	#2	D AND POOL,	OR WURCH		
P.U. BOX 1933	, Roswell, New	V Mexico 8	02U2	State requirements •)		_	1		Springs	
At surface 23101	FNL & 2310' FEL		-	State requirements.*) O. C.		1	T., B., M., OB		<u> </u>	
		- nt. (5	ARTESIA, ÖI	HCE	AND	BURVEY OR	REA		
At proposed prod. sone	same	U				Sec.	5, T18S	, R31E		
14. DISTANCE IN MILES A		REAT TOWN OR POI	T OFF	ICB [¢]			TY OR PARIS		TE	
8 miles SE of	Loco Hills, N	4				Eddy		NM		
15. DISTANCE FROM PROPUL LOCATION TO NEAREST	IED"		16.	NO. OF ACRES IN LEASE	17. NO. TO T	OF ACRES A			······································	
PROPERTY OR LEASE LI (Also to nearest drig.	NE, FT. unit line, if any)	330'		280			40			
18. DISTANCE FROM PROFO TO NEAREST WELL, DR	SED LOCATION*		19.	PROPOSED DEPTH	-	ABY OB CAB	LE TOOLS			
OR APPLIED FOR, ON THE		2350'		8450	KO	tary	ļ			
21. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)						PROX. DATE W	ORK WILL	START*	
3681.9 GL						<u> </u>	<u>ISAP</u>			
23.		PROPOSED CAS	ING A	ND CEMENTING PROGRAM	M					
SIZE OF HOLE	BIZE OF CASING	WEIGHT PER	700T	SETTING DEPTH	.	QUAN	TITY OF CEM	INT		
17 1/2	13 3/8	54.5	5			<u>c to surface</u>				
12 1/4	8 5/8	32		2000		to sui	face		<u>/ - 0 </u>	
7 7/8	5 1/2	17		8450	600	above	pay	Post	ID-1 22-89 De + AP	
I		1		·				- 21	·~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
							L C	11 sw 1	je + HI.	
MUD	PROGRAM:						2.0	5		
100	T HOUR III						A R S	•:: <u>*</u>		
	0 - 300 FW w	/paper					1.4	2	コ	
30	0 - 2000 Brin	e water							C)	
200	0–8450 FW m	ud						ana or Mague a	(1)	
								8	~	
	WAL SUBJECT TO							2:	С	
N The second sec		1 T. T.								
2 Ne	TS.	AND					See	63		
د به ان	Sternards									
him										
				r plug back, give data on p	resent pro	ductive so	ne and propo	sed new p	oductive	
IN ABOVE SPACE DESCRIBE zone. If proposal is to	PROFOSED PROGRAM : If frill or deepen direction	ally, give pertine	nt data	a on subsurface locations a	nd measur	ed and true	e vertical dep	ths. Give	blowout	
preventer program, if any	7	<u></u>		·						
24. A.M.I.	/	NM Voung		Dwilling Superi	ntonde	nt	11/2	21/89		
BIGNED	Чf	NM Young	ITLE	Drilling Superi	ncenue		ATE	1/05		
(This space for Fede	ral or State office use)									
PERMIT NO. CHE. SC	n:	ີ່ ແກບຮູ້		APPROVAL DATE			6	2 10	1	
			ITLE	CALLYSAN NESOURNE ARE	Δ	D	АТК 12 -	15.07		
APPROVED BY CONDITIONS OF APPROV	AL, IF ANY :	T								
CONDITIONS OF APPROV	AL, IF ANY :									

,

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 State of New Mexico Energy, Minerals and Natural Resources Department Form C-102 Revised 1-1-89 t

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088



WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

erator								Lease		·				Well No.	
	vey E	. Yat	es C	lompa	nv				ARC	20 5 Fe	deral			2	
it Letter	Secti			Towas				Range					County		
G		5		1	.8 Soi	uth		3	l Eas	st		NMPM		Eddy	
tual Footage L	ocation of	Well:													
2310'r	feet i	rom the	Nort	th			line and		231	<u>0'</u>	f	eet from	the Ea		
ound level Elev		Рт	oducing	Formati				Pool						Dedicated Ac	reage:
3681.9			Bone							Shugart				40	Acres
1. Out	line the a	reage de	dicated 1	to the st	ubject we	ell by c	olored per	cil or ha	chure ma	rics on the pi	at below.				
2. If π	one than	one lease	is dedic	ated to	the well,	, outline	each and	l identify	the own	ernhip thereo	f (both as	to worki	ng interest :	and royalty).	
					nenship i	s dedic	ated to the	s well, hi	ive the m	lerest of all (WHEIS DE		noaned by c	communitization,	
ſ	ization, fo	•		No	If a	nswer i	s "yes" ty	pe of con	solidatio	a					
	wer is "no		OWDER	and trac	z descrip	tions w	hich have	actually	been co	solidated. (Use revers	e side of	•		
this for	em if nec	Sectory.		the mail	I mail at	1	ete have h		didated	by communi	tization 11	nitization	forced-no	oling, or otherwise	<u></u>
IND BUR OF WELL	owadie w il a dog-st	andard us	ait. elim	inating :	such inte	reat, ha	s bees ap	proved b	y the Div	ision.			4 101000 PC		
							· · · ·	•							
		1					4		I					ATOR CERTI	-
		i							İ					eey certyy indi herein in true and	
		ł							i					nowledge and belie	
									i						
									i			S	Signature		
		ł					310.		i					mei	<u> </u>
							2		i			F	rinted Nat		
								مر میں میں اور				— L	<u>NM Y</u>	oung	· · · · · · · · · · · · · · · · · · ·
						Η H	ENCO (et al				F	Position		
		-				N	м-1680:	38						ling Super	intenden
													Company		•
		ļ			3695			, 3686.						<u>ey E. Yate</u>	<u>s Compan</u>
		1						1	5	2710			Date	1 /00	
		ļ					ò	<u> </u>		2310		╼┽╞		1/89	
		1			370 4.3	3		3690.1					SUR	VEYOR CERTI	FICATION
						-									
		1							1				I hereby a	ertify that the we at was plotted fr	ll location sho
		l											on inis pi actual sui	rveys made by n	om jueia noies ne or under
		1											supervison	, and that the s	ame is true o
		Ì											correct to	the best of m	y knowledge a
		Í											belief.		
		i							Í				Date Surv	eyed	
						- -						·	N	ovember 6,	1989
		i											Signature	& Seal of	
		i							i				Protession	Surveyor	
		i							i					PHUILLOUI	
		1											- 113	AND SUR	
1													(1)	Am / 1	11214
		1				1							161	SIINVI	(XXXX)
												1 4			
													Celificat	No. 6945 W	WES THE
													Centre	No. OTHE W.	1611
0 339 66	io 990	1320	1650		2310	2640		000	1500	1000	500	ŧ			1511

Application

HARVEY E. YATES COMPANY Arco 5 Federal #2 Sec. 5, T18S, R31E Eddy County, New Mexico

In conjunction with Form 3160-3, Application for Permit to Drill the Subject well in Section 5, Township 18 South, Range 31 East, Eddy County, New Mexico, Harvey E. Yates Company submits the following ten items of pertinent information in accordance with Bureau of Land Management requirements:

- 1. The geologic surface formation is quaternary allunium and bolson deposits and other surficial deposits.
- 2. The estimated tops of geologic markers are as follow:

Rustler	4751	Grayburg	3270 ′
Yates	1900 ′	San Andres	3770 ′
Seven Rivers	1950 ′	Delaware Sd	4360 ′
Bowers	2660 ′	Bone Springs	5010 ′
Queen	2900 ′	TD	8450′
Penrose	3060 ′		

3. We do not anticipate finding water but have listed the formation in which we anticipate finding oil or gas.

Bone Spring 5010'

- 4. Proposed casing program: See Form 3160-3. HEYCO will be running some used casing when applicable.
- 5. Pressure control equipment: See Exhibit C. Although the rig equipment is 3M rated, this well will be a 2M PSI rating.
- 6. Mud program: See Form 3160-3.
- 7. Auxiliary equipment: Blowout preventer
- 8. Testing, logging and coring programs: We do not plan to core or DST. The planned logs are CND w/GR and and Caliper and DLL-MSFL.
- 9. No abnormal pressures or temperatures are anticipated.
- 10. Anticipated starting date: As soon as possible.

SURFACE USE PLAN

HARVEY E. YATES COMPANY Arco 5 Federal #2 Sec. 5, T18S, R31E Eddy County, New Mexico

1. EXISTING ROADS:

Exhibit A is a portion of a New Mexico Map showing the location of existing roads and wells. The location is approximately 35 miles east of Artesia, New Mexico, or about 8 miles southeast of Loco Hills, New Mexico. Leave Artesia on U.S. Highway 82 and travel east to the junction of New Mexico Highway 222. Turn south on Highway 222 and travel 2.5 miles. Turn west on lease road and travel 1/2 mile to the location.

2. PLANNED ACCESS ROADS:

We plan to use the existing roads as far as possible. We will build approximately 1320ft of new road to reach the proposed location. The running surface will be 14' wide, built with 6" of compacted caliche.

3. LOCATION OF EXISTING WELLS:

Exhibit B is a plat showing existing wells and their locations.

4. LOCATIONS OF TANK BATTERIES, ETC .:

In the event we drill a producing well, all production equipment will be located at Unit E, Sec. 5, T18S, R31E.

5. LOCATION AND TYPE OF WATER SUPPLY:

Water will be from commercial sources, either hauled or pipelined.

Surface Use Plan

6. SOURCE OF CONSTRUCTION MATERIAL:

We will use caliche from the reserve pit area to build the road and location.

7. METHODS OF HANDLING WASTE DISPOSAL:

Waste will be buried in reserve pits at a depth of 36". The wellsite will be cleaned of all waste and this will be done within 30 days after completion of the well.

8. ANCILLARY FACILITIES:

None required.

9. WELLSITE LAYOUT:

- A. Exhibit D shows the relative location and dimensions of the well pad, reserve pits and major rig components.
- B. The land is relatively flat with sandy soil and sand dunes.
- C. The pad and pit area have been staked.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After finishing drilling and/or other completion operations, all equipment and other materials not needed for further operations will be removed. Pits will be filled and the location cleaned of all trash and junk to leave the wellsite as pleasant in appearance as possible.
- B. If the proposed well is nonproductive, all restoration and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as quickly as possible. All pits will be filled and levelled within 90 days after abandonment.

11. OTHER INFORMATION:

A. The surface and minerals are Federal land.

Page 2

- B. The topography consists of sandy soil with native grasses, catcall, etc. No wildlife was observed, but the usual inhabitants of this region are jackrabbits, reptiles, coyotes, etc.
- C. There are no ponds, lakes, streams or rivers in this area.
- D. An Archaeological Survey has been made and copy has been sent to your Carlsbad office. There is no evidence of any significant archaeological, historical or culturalsites in the area. Also, there are no occupied dwellings or windmills.

12. OPERATOR'S REPRESENTATIVES:

The field representatives responsible for assuring compliance with the approved surface use and operations plan are:

Micky Young Harvey E. Yates Company P. O. Box 1933 Roswell, New Mexico 88201 Office: 505/623-6601 Mobil: 505/624-1818 #840 Curtis Tolle Harvey E. Yates Company P. O. Box 1933 Roswell, New Mexico 88201 Office: 505/748-2435 Mobil: 505/624-1818 #837

13. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with operations proposed herein will be performed by Harvey E. Yates Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

November 21, 1989

Drilling Superintendent





אורר רואב FILL LINE E b DLIND RAIIS PIPE NAUS 0 FLOW LINE. 4 ADJUSTAJLE ADJUSTADLE CHOKE à, સ્ p, PIT PIT TO MUD PIT TO NUD PIT

...

JERIES

EXHIBIT C

Harvey E. Yates Company Arco 5 Federal #2 2310' FN & EL Sec. 5, T18S, R31E Eddy Co., New Mexico



EXHIBIT D

Harvey E. Yates Company Arco 5 Federal #2 2310' FN & EL Sec. 5, T18S, R31E Eddy Co., New Mexico