

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

LC-054205

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR

P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

990' FNL & 1700' FWL

APR 26 1991

O. C. D.
ARTESIA, OFFICE

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3373' GR

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Pitcher Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Red Lake-Glorieta/Yeso

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 8-T18S-R27E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

RIIOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Perforated (2 JSPF) 2273', 78', 83', 90', 91', 94', 95', 2300', 01', 02', 03', 07', 17', 18', 23', 24', 25', 45', 51', 54', 57', 63', 95', 2404', 07', 20', 27', 61', 63', 76', 2536', 38', 50', 63', 66', 74', 79', 87', 2604', 20', 22', 34', 40', 56', 2660', 68', 72', 2755', 57', 64' (100 holes).

Acidized 2536'-2764' w/ 3000 gals 15% NeFe, ISIP 1150 psi.

Acidized 2273'-2476' w/ 3000 gals 15% NeFe, ISIP 1150 psi.

Frac'd 2273'-2764' w/ 21,000 gals 30# crosslinked gel & 30,000# 12-20 sand. ISIP 1290 psi.

Squeezed perfs (2273'-2476') w/ 277 sx Class "C".

Acidized 2536'-2764' w/ 2000 gals 15% NeFe, ISIP 1460psi.

Frac'd 2536'-2764' w/ 40,000 gals 30# crosslinked Versagel w/ 55,500# 12-20 sand. ISIP 1590 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED Karla LeJeune TITLE Regulatory Secretary

DATE 04/17/91

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

*See Instructions on Reverse Side



