

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box **RECEIVED**
Santa Fe, New Mexico 87504-2088

JUL 23 1991

O. C. D.
ARTESIA OFFICE

WELL API NO.
30-015-26577

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
LG-9156

7. Lease Name or Unit Agreement Name
Potash "16" State

8. Well No.
1

9. Pool name or Wildcat
Leo (Queen, Grayburg)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
Southland Royalty Company

3. Address of Operator
P.O. Box 51810, Midland, TX 79710-1810

4. Well Location
Unit Letter B : 990 Feet From The North Line and 2310 Feet From The East Line

Section 16 Township 18-S Range 30-E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3501'GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set cmt ret @3130'. Test tubing to 1000 psi. Squeeze below retainer w/50 sxs of Class C cmt. Dump 5 sxs of Class C cmt on top of retainer. Circulate hole with 10 ppg gelled mud. Spot plug from 2450'-2700' w/25 sxs of Class C cmt (120' above and 130' below the top of the Queen formation. Spot a plug from 1200'-1450' w/25 sxs of Class C cmt (120' above and 130' below bottom of salt zone. RIH w/4" casing gun, perforate @550'-51' with 4 SPF (8 holes). Pump fresh water down the 5-1/2" production casing to establish circulation. Pump 120 sxs of Class C cement and circulate to surface. Cut off casing 3' below surface, weld on steel plate. Set abandoned marker. Restore location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Maria L. Perez TITLE Production Asst. DATE 7-17-91

TYPE OR PRINT NAME Maria L. Perez TELEPHONE NO. 915-686-5767

(This space for State Use)

APPROVED BY [Signature] TITLE OIL AND GAS INSPECTOR DATE 7-24-91

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JUL 22 1950

COB
HOERS OFFICE