

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO.

30-015-27009

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

E-1286

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER ☐

b. Type of Completion:

NEW WELL ☐

WORK OVER ☐

DEEPEN ☐

PLUG BACK ☐

DIFF RESVR ☐

OTHER ☒

7. Lease Name or Unit Agreement Name

Turkey Track "15" State

2. Name of Operator

Mewbourne Oil Company

3. Address of Operator

P.O. Box 5270 Hobbs, New Mexico 88241

8. Well No.

1

9. Pool name or Wildcat

Wildcat

4. Well Location

Unit Letter E: 1980 Feet From The North Line and 990 Feet From The West Line

Section 15

Township 18S

Range 28E

NMPM

Eddy

County

10. Date Spudded

12/30/92

11. Date T.D. Reached

02/09/93

12. Date Compl. (Ready to Prod.)

04/17/93

13. Elevations (DF& RKB, RT, GR, etc.)

3597' GR

3609' KB

14. Elev. Casinghead

3597'

15. Total Depth

10,870'

16. Plug Back T.D.

7847'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

6418'-6428' Bone Springs Carbonate

20. Was Directional Survey Made

Yes

21. Type Electric and Other Logs Run

SDL-DSN DLL-MSFL-GR Sonic CBL

22. Was Well Cored

No

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#/ft.	390'	17-1/2"	525 sx. Class "C"	Circulated
9-5/8"	36#/ft.	2623'	12-1/4"	1000 sx. Class "C"	800 sx. Circ.
5-1/2"	17#/ft.	10864'	8-3/4"	2470 sx. Class "H"	Circulated

24.

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	6500'	Anchor

25. TUBING RECORD

26. Perforation record (interval, size, and number)

6418'-6428' 4 SPF 40 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6418'-6428'	2000 gals. 20% NE-FE
	16000 gals. 20% gelled NE-FE

28.

PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
		Pumping 2-1/2" x 1-1/4" x 12' x 14' x 16' RHTC				Prod.	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
04/18/93	24	Open		15	45	40	3 MCF/bbl
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
100 psi	20 psi		15	45	40	42 API	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Venting, to be sold to GPM

Test Witnessed By

Robert Jones

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Robert G. Jones

Printed Name

Robert Jones

Title Engineer

Date 4/28/93

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____	T. Canyon _____
T. Salt _____ 473'	T. Strawn _____ 9392'
B. Salt _____ 585'	T. Atoka _____ 10046'
T. Yates _____ 749'	T. Miss _____ 10720'
T. 7 Rivers _____	T. Devonian _____
T. Queen _____ 1702'	T. Silurian _____
T. Grayburg _____	T. Montoya _____
T. San Andres _____ 2494'	T. Simpson _____
T. Glorieta _____	T. McKee _____
T. Paddock _____	T. Ellenburger _____
T. Blinebry _____	T. Gr. Wash _____
T. Tubb _____	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____ 3655'
T. Abo _____	T. Morrow Lime _____ 10170'
T. Wolfcamp _____ 7897'	T. Morrow Clastics _____ 10260'
T. Penn _____ 8764'	T. _____
T. Cisco (Bough C) _____	T. _____

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permian _____	T. _____
T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 6418' to 6428' No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0'	473'	473'	Redbed and Anhydrite				
473'	585'	112'	Salt				
585'	2100'	1515'	Shale and Dolomite and Anhydrite				
2100'	3700'	1600'	Shale and Dolomite				
3700'	6400'	2700'	Limestone and Shale				
6400'	6800'	400'	Sandstone and Dolomite				
6800'	7500'	700'	Limestone and Shale				
7500'	8100'	600'	Limestone, Dolomite and Sandston				
8100'	10250'	2150'	Limestone and Shale				
10250'	10720'	470'	Sandstone and Shale				
10720'	10870'	150'	Shale				