

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

MAY 19 '94

WELL API NO. 30-015-27285
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-7811
7. Lease Name or Unit Agreement Name Cedar Breaks "2" State
8. Well No. 2
9. Pool name or Wildcat Cedar Lake Strawn
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3594' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator Mewbourne Oil Company
3. Address of Operator P.O. Box 5270 Hobbs, New Mexico 88241	4. Well Location Unit Letter A : 990 Feet From The North Line and 990 Feet From The East Line Section 2 Township 18S Range 30E NMPM Eddy County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3594' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Set CIBP @ \pm 11,250' and cap with 35' cement to abandon Morrow perfs. (11,320'-11,342')
- Perforate Strawn formation from 10,472' - 10,486'.
- Acidize Strawn with 15% HCL acid and test.
- Frac Strawn with 20% gelled HCL acid and test.
- Restore well to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Engineer

DATE 05/18/94

(505)

TELEPHONE NO. 393-5905

TYPE OR PRINT NAME

Erick W. Nelson

(This space for State Use)

SUPERVISOR, DISTRICT II

APPROVED BY

TITLE

DATE

MAY 23 1994

CONDITIONS OF APPROVAL, IF ANY:

