

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
280' FSL and 850' FEL of Section P-6-18S-27E

5. Lease Designation and Serial No.
NM-LC-026874-A

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
West Red Lake8910089700

8. Well Name and No.
West Red Lake #57

9. API Well No.
30-015-28539

10. Field and Pool, or Exploratory Area
Red Lake (Q-GB-SA)

11. County or Parish, State
Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☐ Notice of Intent
- ☒ Subsequent Report
- ☐ Final Abandonment Notice

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing Repair
- ☐ Altering Casing
- ☒ Other Completion

- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-Off
- ☐ Conversion to Injection
- ☐ Dispose Water
- ☐ Report results of initial completion or Well Completion or Recompletion Report and Log form

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If a well is functionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11-01-95 thru 11-04-95 RU Wedge WL. Ran CBL from 2075' to surface.
Ran 4" csg guns and perf'd San Andres w/1 JSPF at 1529', 1538', 1551', 1568', 1589', 1604', 1645', 1710', 1718', 1743', 1754', 1767', 1777', 1795', 1802', 1817', 1834', 1840', 1871', 1880', 1894', 1896', 1900', 1906', 1910', 1917', 1924', 1930', 1932', 1952' and 1962'; total 31 holes (.44" EHD).

RU Dowell. Acidized perfs 1529-1962', down csg, w/2500 gals 15% NeFe acid + 52 BS at AIR 6 BPM w/1783 psi. ISIP 1245 psi, 15 mins 843 psi.

Frac'd perfs 1529-1962', down csg, w/15,000 gals fresh water prepad (w/scale inhibitor) + 70,000 gals 30# X-link gel + 9000# 100-mesh sd + 258,000# 20/40 Brady sd + 32,000# 16/30 RC sd at AIR 55 BPM w/1700 psi. ISIP 1775 psi, forced closed.

Ran 2 7/8" tbgs. Circ'd sand to PBTD. Set SN at 2009'. Ran pump and rods. Began pump testing.

14. I hereby certify that the foregoing is true and correct

Candace R. Graham

Signed Candace R. Graham

Title Engineering Technician

Date December 21, 1995

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any: _____

Title _____

Date J. Lara