

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONTACT RECEIVING
OFFICE FOR NUMBER
OF COPIES REQUIRED

(See other In-
structions on
reverse side)

BLM Roswell District
Modified Form No.
NM060-3160-3

0157

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR. ☐ Other ☐
2. NAME OF OPERATOR: W.A. & E.R. HUDSON, INC.
3. ADDRESS OF OPERATOR: P.O. Box 9, Maljamar, NM 88264-0009
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface: 2620' FWL and 1300' FNL of Sec. 25
At top prod. interval reported below:
At total depth:

5. LEASE DESIGNATION AND SERIAL NO.: LC-029415-B
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT AGREEMENT NAME:
8. FARM OR LEASE NAME: PUCKETT B (5314)
9. WELL NO.: 33
10. FIELD AND POOL, OR WILDCAT: Malj. G-SA (43329)
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Sec. 25, T17S, R31E
12. COUNTY OR PARISH: Eddy
13. STATE: NM
14. PERMIT NO.:
DATE ISSUED:
15. DATE SPUDDED: 9-20-95
16. DATE T.D. REACHED: 9-28-95
17. DATE COMPL. (Ready to prod.): 10-22-95
18. ELEVATIONS (OF RKB, RT, OR, ETC.): 3890
19. ELEV. CASINGHEAD: 3889
20. TOTAL DEPTH, MD & TVD: 4060
21. PLUG, BACK T.D., MD & TVD: 4010
22. IF MULTIPLE COMPL., HOW MANY:
23. INTERVALS: ROTARY TOOLS: X CABLE TOOLS:
24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD) AND THICKNESS: 3730 - 63 Vacuum
25. WAS DIRECTIONAL SURVEY MADE: No
26. TYPE ELECTRIC AND OTHER LOGS RUN: Array Induction Gamma Ray
27. WAS WELL CORED: No

ACCEPTED FOR RECORD
MAR 12 1996
CARLSBAD, NEW MEXICO

CASING RECORD (Report all strings run, in well)						AMOUNT PULLED
CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD		
13-3/8"	48#	611	17-1/2"	700 SX		
8-5/8"	24#	1908	12-1/4"	700 SX		
5-1/2"	15.50#	4054	7-7/8"	850 SX		

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8	3307'	N/A

31. PERFORATION RECORD (Interval, size and number):
3730' - 63' .35" 56 holes
3885' - 90' .35" 11 holes
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.:
DEPTH INTERVAL (MD): 3730-63
AMOUNT AND KIND OF MATERIAL USED: 1000 gal 15% HCL Acid
40,000 gal Boragel,
w/74,000# sand
3885-90
1000 gal 15% HCL Acid

33.* PRODUCTION
DATE FIRST PRODUCTION: 10/22/95
PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump): Flowing
WELL STATUS (Producing or shut-in): Producing
DATE OF TEST: 10/24/95
HOURS TESTED: 24
CHOKE SIZE: 7/64
PROD'N. FOR TEST PERIOD: 252
OIL--BBL.: 252
GAS--MCF.: 74
WATER--BBL.: 24
GAS-OIL RATIO: 3.41
FLOW. TUBING PRESS.: N/A
CASING PRESSURE: 140#
CALCULATED 24-HOUR RATE: 252
OIL--BBL.: 252
GAS--MCF.: 74
WATER--BBL.: 24
OIL GRAVITY-API (CORR.): 39
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): sold
35. LIST OF ATTACHMENTS: TEST WITNESSED BY: J.B. Smith

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED: J.B. Smith TITLE: Prod. Supt. DATE: 11/14/95

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Grayburg	3322	3698	Gray dolomitic sand	Rustler Anhy.	754	
San Andres	3698	3990	White dolomite	Salt	932	
				San Andres	3883	

38. GEOLOGIC MARKERS

WELL NAME AND NUMBER Puckett "B" 33
LOCATION 2620' FWL & 1300' FNL, Section 25, T17S, R31E, Eddy County NM
OPERATOR W. A. & E. R. Hudson, Inc.
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>1/2° 490'</u>	<u> </u>	<u> </u>
<u>3/4° 600'</u>	<u> </u>	<u> </u>
<u>1-1/4° 1300'</u>	<u> </u>	<u> </u>
<u>1-3/4° 1900'</u>	<u> </u>	<u> </u>
<u>2° 2340'</u>	<u> </u>	<u> </u>
<u>1° 2864'</u>	<u> </u>	<u> </u>
<u>1° 3381'</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Drilling Contractor United Drilling, Inc.

By: L. M. Gills

Title: Business Manager

Subscribed and sworn to before me this 3rd day of October,
1985.

Barbara Tankusky
Notary Public

My Commission Expires: 9-25-99

Chaves NM
County State

RECEIVED