

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION
Drawer DD

Artesian NM-88210

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-0318474

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Santo Nino "29" Fed.
Comm. #4

9. API Well No.

30-D15-28643

10. Field and Pool, or Exploratory Area

Santo Nino Bone Spring

11. County or Parish, State

Eddy County, New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Mewbourne Oil Company

3. Address and Telephone No.

P.O. Box 5270 Hobbs, New Mexico 88241 (505) 293-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FWL & 660' FSL

Unit "N"

Sec. 29-T18S-R30E

DEC 04 1995

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other Spudding, Cmt. Surface

csg. Intermediate Csg., & Prod. Csg.

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU McGee Drilling Co., Rig #2. Spudded 17-1/2" surface hole @ 5:15 p.m., 09-23-95. Drilled hole to 388' K.B. Ran 12 jts. of 13-3/8", 48#, H-40, ST&C new csg. and set @ 388' K.B. Halliburton cemented with 100 sks. of Thixset + 200 sks. of Class "C" Lite containing 1 1/2#/sk. flocele + 1#/sk. gilsonite + 3% CaCl2 followed by 200 sks. of Class "C" Neet w/3% CaCl2. Plug down @ 4:30 a.m. 09-24-95. Did not circulate cement. BLM was notified but were not present. WOC 8 hours and ran temp. survey. TOC at 290'. Halliburton cemented w/525 sks. of Class "C" Neet + 3% CaCl2 through 1" at 290'. Circulated 25 sks. of cement to surface. NU BOP and tested BOP and casing to 600# for 30 min., held ok.

Drilled 12-1/4" Intermediate hole to a depth of 2,065' K.B. Ran 45 jts. of 8-5/8" 24#, J-55, ST&C, new casing and set at 2,065' K.B. Halliburton cemented with 600 sks. of Class "C" Lite containing 12#/sk. salt + 1#/sk. gilsonite + 1/2#/sk. flocele + 2% CaCl2 followed by 200 sks. of Class "C" Neet containing 2% CaCl2. Plug down at 3:00 p.m. 09-27-95. Circulated 66 sks. to the pit. BLM was notified but wasn't present.

Drilled 7-7/8" Production hole to a depth of 8,430' K.B. Ran E-logs and elected to run csg. Ran 205 jts. of 17#, N-80 & J-55 8rd, LT&C csg. and set at 8,430' K.B. Halliburton cemented

14. I hereby certify that the foregoing is true and correct

Signed Bill Pierce

Title Drilling Superintendent

Date October 23, 1995

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

ACCEPTED FOR RECORD

NOV 30 1995

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See 1-

GENERAL INSTRUCTIONS

Instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special in-

SPECIFIC INSTRUCTIONS

zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Item 4—If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13—Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq.; 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE — The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES:

(1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.

(2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2).

(3) Analyze future applications to drill or modify operations in light of data obtained and methods used.

(4)(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION — Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that: This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

MEWBOURNE OIL COMPANY

P.O. BOX 5270

HOBBS, NEW MEXICO 88241

(505) 393-5905

with 800 sks. of Class "H" Lite containing 5#/sk. gilsonite + 1/2#/sk. flocele followed by 375 sks. of Class "H" containing 5#/sk. salt + .3% Halad 322 + .3% Halad 344. Plug down at 2:45 p.m. 10-20-95. Set slips and released rig at 10:00 p.m. 10-20-95.

Attachment to Form 3160-5

Santo Nino 29 Federal comm. #4

Nm - 0318474