Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5.	Leas	e Des	ignation	and	Serial	No.
-	LC	063	3621.	-A		

BUREAU OF	5. Lease Designation and Serial No. LC 063621.—A		
Do not use this form for proposals to dr	AND REPORTS ON WELLS ill or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name	
SUBMIT	7. If Unit or CA, Agreement Designation		
1 Type of Well Oil Gas Well Well Other	8. Well Name and No.		
2 Name of Operator	Ranger 7 Federal Com. #1		
Enron Oil & Gas Company	9. API Well No.		
Address and Telephone No. P. O. Box 2267, Midland, Telephone No.	30 015 28590 10. Field and Pool. or Exploratory Area		
4 Location of Well (Footage, Sec., T., R., M., or Survey D	Undes Sand Tank Morrow/		
2050' FNL & 1980' FEL	11. County or Parish, State Strawn		
Sec 7, T18S, R30E		Tilde Country NM	
		Eddy County, NM	
2 CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOR	RI, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent	Abandonment	Change of Plans	
,	Recompletion	New Construction	
Subsequent Report	Plugging Back	Non-Routine Fracturing	
Transaction Nation	Casing Repair Altering Casing	Water Shut-Off	
Final Abandonment Notice	XX _{Other} Csg test & cmt job	Conversion to Injection Dispose Water	
		(Note: Report results of multiple completion in Well Completion or Recompletion Report and Log form.)	
	Il pertinent details, and give pertinent dates, including estimated date of starting		
give subsurface locations and measured and true verti	cal depths for all markers and zones pertinent to this work.)*	TO STANKE IN THE IN	
11-22-95 - Spud 8:00 a.m.		MED	
Cemented with 99 bbls slurry 33 bbls slurry	11-3/4" 42# H-40 ST&C casing set at 6 200 sx Prem +, 2% CC, 3% ECON, 1/4# F; and 150 sx Prem +, 75/25 Poz A, 2% . WOC - 7-1/4 hours. 30 minut sacks cement.	(; 11.5 ppg, 2.76 curt/sx,	
Cemented with 8 11.9 ppg, 2.39 2% CaCl ₂ ; 14.8	-5/8" 32# J-55 ST&C casing set at 3350 50 sx Prem +, 50/50 Poz A, 1/4# Floce cuft/sx, 362 bbls slurry; and 250 sx 1 ppg, 1.24 cuft/sx, 55 bbls slurry. Crs. 30 minutes pressure tested to 100	le, 10% Gel, 5.8# salt; Prem +, 75/25 Poz A, irculated 104 sx cement.	
12-2 0 -95 TD 11,780'			
<u> </u>		(OVER)	
4 I hereby certify that the folegoing is the and correct Signed Rett	y Gildon _{ue} Regulatory Analyst	1227-95 Date	
(This space for Federal & State office use)			
Approved by	Title	Date	
Conditions of approval, if any:			
		2 3 199 6	

Tile 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction