Form 3160-3 (December 1990)	Artes a	NS COMMISSION FD8STATES OF THE INTER	BUBMIT IN T (Other Instru reverse i RIOR	net ton	Form approved. Budget Bureau No. Expires: Decembe	r 31, 19 91
-0 -	BUREAU OF	LAND MANAGEMEN	Т		NM-27279	
	ICATION FOR P	ERMIT TO DRIL	L OR DEEPEN		6. IF INDIAN, ALLOTTER OR	TRIBE NAME
1a. TYPE OF WORK DR b. TYPE OF WELL		DEEPEN 🗌			7. UNIT AGREEMENT NAME	
WELL V 2. NAME OF OPERATOR	VELL OTHER		INGLE MULTI DNE EDNE	<u>المعام المعام المعام المعام المعام المعام</u>	6. FARM OR LEASE NAME WELL NO Santo Nino 2 Counter, #6 / 2	9" Federal 5 805
Mewbourne Oi. 8. ADDRESS AND TELEPHONE NO.		77777	· · · ·		30-015-2	8698
P.O. Box 52/ 4. LOCATION OF WELL (B At surface	0 Hobbs, New Me Report location clearly and	In accordance with any i	393-5905 State requirements.		10. FIELD AND POOL, OF W Santo Nino Bon	ne Spring
At proposed prod. 301		& 1980' FEL			Sec. 29-T18S-F	
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	REST TOWN OR POST OFFIC	••••••••••••••••••••••••••••••••••••••	7 1995	12. COUNTY OR PARISH 13	
6 1/2 Miles (15. DISTANCE PRON PROP LOCATION TO NEARES PROPERTY OF LEASE	T	16. NO		N: DI	Eddy Markes assigned	N.M
(Also to nearest dr) 18. DISTANCE FROM FROM	g. unit line, if any) POSED LOCATION [®]	1980' 19. Pi	1751 ROPOSED DEPTH DIS	202R0TAB	80	
OR APPLIED POR, ON TE		150'	8400'		Rotary	····
21. ELEVATIONS (Show when 3447' GR	nether DF, RT, GR, etc.)				22. APPROL DATE WORK	
23 .		PROPOSED CASING AN	CEMENTING PROGRA	M S	l October 1, 3 Secretary's Potash	the second s
BIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER POOT	SETTING DEPTH	1	QUANTITY OF CEMENT	
17-1/2"	13-3/8" J-55	48#	400' +/-	400 s	acks of Class "(
<u>12-1/4"</u> 7-7/8"	<u>8-5/8" J-55</u> 5-1/2" J-55	<u> </u>	<u>1950' +/-</u> 8400' +/-	<u>600 s</u>	acks of Class "C acks of Class "H	"CIRCULATE
formation for a productive, the regulations. S Drilling Progra	oil. If product e well will be p Specific program	ive, 5-1/2" cas lugged and aban s are outlined	ing will be cen doned in a man	mented a ner cons ng attac	istent with fede hments:	ral
	ocation and Elev		New Loc Y	4 API	62	23 [1]
Exhibit #2, 2A, Exhibit #3, 3A Exhibit #4 - In Exhibit #5 - Pa	Casing Design Pr , Attachment – B – Existing and mmediate Radius roposed Drilling	lowout Prevento Planned Access Map w/attachmen Rig Layout	r and Choke Mar Road w/location t	nifold E	3	CEVED
Statement of Le	roposed Producti ease Responsibil	ity	•		₽ H₂S Co	ntinency P
IN ABOVE SPACE DESCRIT deepen directionally, give per	timent data on subsettace location				new productive zone. If propose f any.	
BIGNED	N Tur	<u> </u>	rilling Superin	ntendent	DATE _August_2	
(This space for Fed	eral or State office use)				APPROVAL SUBJEC GENERAL REQUIRE	-
PERMIT XO Application approval does CONDITIONS OF APPROVA		plicant holds legal or equitable ti	APPROVAL DATE	lease which wou	SPECIAL REQUIRE and control of the second of	
	0	- Act	JATATE	INTECTO	Чбате <u>/0-//-9</u>	5
APPROVED BY		*See Instructions	On Revense Side		_ ersiE	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the

District L. PC: Drawer DD, . District III 1060 Rio Brazos District IV		1 88211-0719		olt G	, Milberals & Nat ONSERV PO B	New Mexico Wirl Resource Departs ATION DIVISI DX 2088 M 87504-2088			In Oppropri State	Form February 1 structions ate Distric 2 Lease - 4 2 Lease - 3
PG Box 2088, Sa	nta Fe, NM	87504-2088						C		ENDED R
		WE	LL LO	CATIO	N AND A	CREAGE DED	CATION P	LAT		
	API Numb			³ Pool Co			³ Pool N			
30-015-28698				54600 Santo Nind			Bone Spring			
⁴ Property					* Prope	rty Name	·····		•	Well Numbe
	S/		ANTO N	INO "29	9" FEDERAL			6		
'OCRID 01474					' Opera				* Elevation	
0147-		M	LEWBOUR	NE OIL	COMPANY	÷			344	7
LL or lot no.	Section	Township	P	T T		e Location		T =		
G G	29	18S	Range 30E	Lot Ida	Feet from the 1980	Nor North	Feet from the 1980	East/Wei EAST		County
	27	[105		tom Ho		If Different Fr		EASI	-	EDDY
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the		Feet from the	East/We	u line	County
				1						
NO ALLO	U WABLE	N WILL BE A OR A	C SSIGNE NON-ST	D TO TH ANDARD	IS COMPLE UNIT HAS	TION UNTIL ALL BEEN APPROVED	INTERESTS H BY THE DIV	IAVE BEI	EN COI	NSOLIDA
	WABLE Y	WILL BE A OR A	SSIGNE	ANDARD	UNIT HAS	TION UNTIL ALL BEEN APPROVED	BY THE DIV	ISION RATOR ify that the in plete to the b	CERT vormation best of my ce Supt.	TIFICAT contained her browledge an



12 1/4" Intermediate Hole





MEWBOURNE OIL COMPANY Santo Nino "29" Federal Comm. #6 1980' FNL & 1980' FEL Section 29-T18S-R30E Eddy County, New Mexico Lease # NM-27279

EXHIBIT #2A

. . . .

ATTATCHMENT TO EXHIBIT #2

Notes Regarding The Blowout Preventer Santo Nino "29" Federal Comm. #6 Lease #NM 27279 1980' FNL & 1980' FEL Section 29 - T18S - R30E Eddy County, New Mexico

- 1. Drilling nipple (bell nipple) to be so constructed that it can be removed without the use of a welder through the rotary table opening, with minimum I. D. equal to the preventer bore.
- 2. Blowout preventer and all fittings must be in good condition; 2,000 psi W. P. minimum or greater.
- 3. Safety valve must be available on rig floor at all times with proper connections; valve to be full bore 2,000 psi W. P. minimum or greater.
- 4. Equipment through which bit must pass shall be at least as large as the diameter of the casing being drilled through.
- 5. Kelly cock on kelly.
- 6. Blowout preventer closing equipment to include minimum 40 gallon accumulator, two independent sources of pump power on closing unit, and meet all API specifications.