

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE *
(Other Instructions on
reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐


N.M. Oil Cons. Division
811 S. 1st Street
Artesia, NM 88210-2834

2. NAME OF OPERATOR
The Wiser Oil Company

3. ADDRESS OF OPERATOR
P.O. Box 2568 Hobbs, New Mexico 88241

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1270' FNL & 120' FEL
Sec. 28-T17S-R31E
Unit A



5. LEASE DESIGNATION AND SERIAL NO.
LC-029420-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Skelly Unit

8. API WELL NO.
30-015-28881

9. WELL NO.
275

10. FIELD AND POOL, OR WILDCAT
Grayburg Jackson 7-Rivers

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 28-T17S-R31E

14. PERMIT NO

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3807'

12. COUNTY OR PARISH
Eddy

13. STATE
NM

16. Check Appropriate Box to indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT OFF ☐

PULL OR ALTER CASING ☐

FRACTURE TREAT ☐

MULTIPLE COMPLETE ☐

SHOOT OR ACIDIZE ☐

ABANDON* ☐

REPAIR WELL ☐

CHANGE PLANS ☐

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

REPAIRING WELL ☐

FRACTURE TREATMENT ☐

ALTERING CASING ☐

SHOOTING OR ACIDIZING ☐

ABANDONMENT * ☐

(Other) Perforate & Acidize

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

10/25/96 Halliburton perforated San Andres Upper Jackson f/3875'-81' w/1 SPF (7 holes). Acidized San Andres Upper Jackson w/1100 gals. 15% NE-FE acid & 14 ball sealers. Formation broke @ 3193#. Balled out with 19 bbls. acid in formation. ISIP 1768#. 5 min. 1460#. 10 min. 1385#. 15 min. 1327#. MTP 4720# @ 5.7 bpm. ATP 2700# @ 4 bpm.

10/26/96 Halliburton perforated San Andres Vacuum f/3709'-15', 18', 19', 23', 24', 25', 31', 32', & 33' w/1 SPF (15 holes).

10/29/96 Halliburton acidized San Andres Vacuum f/3709'-3733' w/2300 gals. 15% NE-FE acid & 30 ball sealers. Formation broke @ 3455#. Balled out w/31 bbls. in formation. MTP 4572# @ 5.5 bpm. ATP 2250# @ 4 bpm. ISIP 1795#. 5 min. 1748#. 10 min. 1714#. 15 min. 1685#.

10/30/96 Halliburton perforated Grayburg f/3547'-50', 67', 72', 73', 74', 86', 87', 3627'-30', 48', 49', 58', 59', 65', 66', 67', 69' & 70' w/1 SPF (23 holes). Acidized Grayburg w/3500 gals. 15% NE-FE acid & 46 ball sealers. Formation broke @ 1175#. Balled out w/61 bbls in formation. MTP 4884# @ 7.1 bpm. ATP 2590# @ 4.3 bpm. ISIP 1763#. 5 min. 1617#. 10 min. 1573#. 15 min. 1520#.

18. I hereby certify that the foregoing is true and correct.

SIGNED Mary Jo Turner TITLE Completion Department DATE December 12, 1996

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instruction On Reverse Side