

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO.
30-015-28907

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT

1a. Type of Well: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESER ☐ OTHER ☐

2. Name of Operator
YATES PETROLEUM CORPORATION (505) 748-1471

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter F : 2310 Feet From The North Line and 2310 Feet From The West Line
Section 21 Township 18S Range 26E NMPM Eddy County

10. Date Spudded
RH 4-15-96
RT 4-17-96

11. Date T.D. Reached
4-21-96

12. Date Compl. (Ready to Prod.)
5-2-96

13. Elevations (DF & RKB, RT, GR, etc.)
3372' GR

14. Elev. Casinghead

15. Total Depth
1840'

16. Plug Back T.D.
1798'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By
Rotary Tools
40-1840'

19. Producing Interval(s), of this completion - Top, Bottom, Name
1550-1591' San Andres

20. Was Directional Survey Made
No

21. Type Electric and Other Logs Run
CNL

22. Was Well Cored
No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
16"		40'	20"	Cement to surface	
8-5/8"	24#	970'	12-1/4"	1025 sx - circulate	
5-1/2"	15.5#	1838'	7-7/8"	550 sx	

LINER RECORD					TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	1257'	

26. Perforation record (interval, size, and number)
1550-1591' w/24 .42" holes as follows: 1550, 54, 55, 61, 62 & 1591' (4 SPF)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
1550-1591' Ac. w/2400 gals 20% NEFE acid & ball sealers. Frac'd w/100000 gals 30# crosslink gel. 500000# 20-40 Brady sand w/ prop-wrap added to last 50000# of sand

28. PRODUCTION
Date First Production oil 5-6-96/gas 5-3-96
Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping
Well Status (Prod. or Shut-in) Producing

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
5-8-96	24			45	126	105	2800:1
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
150	50		45	126	105	35.7	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold - Connected to Yates Gas Gathering

Test Witnessed By
Cecil Lester

30. List Attachments
Deviation Survey & Log

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Rusty Klein Printed Name Rusty Klein Title Production Clerk Date 5-13-96

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 830'	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....;

No. 2, from.....to.....feet.....;

No. 3, from.....to.....feet.....;

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	440	440	Surface & redbed				
440	871	431	Redbed & anhydrite				
871	1840	969	Anhydrite				

ARTESIA FISHING TOOL COMPANY

P.O. BOX 470 • PHONE (505) 746-6651

ARTESIA, NEW MEXICO 88211-0470

May 7, 1996

Yates Petroleum Corporation
105 South Fourth Street
Artesia, NM 88210

RE: Pearson APE #1
2310' FNL & 2310' FWL
Sec. 22, T18S, R26E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
660'	1°
1165'	1°
1551'	1 1/4°
1840'	1 1/4°

Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me
this 7 May 1996.


Notary Public