

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cor. Division
811 S. 1st Street
Artesia, NM 88210-2834

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

15K

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2310' FSL & 1650' FWL of Section 8-18S-27E, Unit "K"

5. Lease Designation and Serial No.

LC-070678-A

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Hawk 8K Federal #3

9. API Well No.

30-015-29014

10. Field and Pool, or Exploratory Area

Red Lake;(Q-GB-SA)&Glor-Yeso

11. County or Parish, State

Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Perf San Andres & DH commingle w/Yeso

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


12/6/99 RU Key Well Service. Perf'd Lower San Andres 1747', 1752', 1785', 1803', 1853', 1905', 1916', 1918', 1920', 1924', 1930', 1950', 1953', 1962', & 1968' for a total of 15 holes (.40" EHD).

Acidized Lower San Andres perms 1747'-1968' w/ 1500 gals 15% NEFE acid, ISIP 1000#.

Frac'd Lower San Andres perms 1747'-1968' w/ 48,000 gals linear gel + 2000# 100 mesh sand + 34,000# 20/40 Brady sand + 15,000# CRC sand. ISIP 1323#, closed @ 1210#.

Ran 2-7/8" production tbg, SN set at 2071'. Ran pump and rods. Began pump testing.

Downhole commingled San Andres (1747'-1968') & Yeso (2926'-3046') perforations per NMOCD Administrative Order DHC-2343.



14. I hereby certify that the foregoing is true and correct

Signed

Tonja Rutelonis

Title Engineering Technician

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any: