		iN	. M. Ull Cons. I			
Form 3160-3			811 S. 1ST ST. ARTESIA		FORM	APPROVED
(July 1992)	UNT	LD STATES	Other Instru (Other Instru reverse s	ictics on ide)	OMB NO	0. 1004-0136
		OF THE INTER	RIOR	I		bruary 28, 1995
	BUREAU OF	LAND MANAGEMEN	NT T		5. LEASE DESIGNAT	ION AND BERIAL NO.
	ICATION FOR P			10	LC 061701	TTEB OR TRIBE NAME
AFFI-	ICATION FUR P				N/A	
DR		7. UNIT AGREEMENT NAME				
D. TTPL OF WELL	6	Ballard Grayburg SA Unit				
	AS VELL OTHER	24				WELL NO. 1241
	etroleum Corpo	817		MIM	BGSA Unit Tr	act 14, Well
ADDRESS AND TELEMIONEND.						6719
PO'Box 37,	Loco Hills, N	NM 88255 5	05/677-241-12		30-015-2 10. FIELD AND POOL	L, OR WILDCAT
LOCATION OF WELL (H At surface	leport location clearly and				Loco Hills-	Qn-Grayburg-9
	' FSL & 1500'	FWL			11. SEC., T., R., M., AND SUBVEY OF	OR BLE.
At proposed prod. zor		1/			0 100 200	
Same:	AND DIRECTION FROM NEAR	LA DE POST OFFIC	z*		8-185-29E	1981 13
	ely 8 miles Sc		-		Eddy	NM
. DISTANCE FROM PROP	USED*). OF ACRES IN LEASE	17. NO. O	ACRES ASSIGNED	
LOCATION TO NEARES PROPERTY OR LEASE 1 (Also to nearest did)	LINE, FT.	25' 26	500	TO TH	40	
. DISTANCE FROM FROM			NOPOSED DEPTH	20. ROTAB	T OR CABLE TOULS	
OR APPLIED FOR, ON TH		70' 32	200'	Rota	ary	
	ether DF, RT, GR, etc.)					WORK WILL START*
3530' GR					Mid Novemb	per, 1996
			·····			
	<u> </u>	PROPOSED CASING ANI	CEMENTING	HLL CON	TROLLED WA	TER BASIN
	GRADE SIZE OF CASING	PROPOSED CASING AND	CEMENTING ROSWE	HL CON	QUANTITY OF CE	TER BASIN
SIZE OF HOLE	GRADE SIZE OF CASING	weight per foot	SETTING DEPTH	250	QUANTITY OF CE	TER BASIN
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	250	QUANTITY OF CE SX CIRCULAI SX CIRCULAI	TER BASIN
size of hole 12¼" 7 7/8"	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55	weight per foot 24# 15.5#	SETTING DEPTH 330' 3200'	250	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN SX CIRCULAIN Posted	TER BASIN
size of hole 12¼" 7 7/8"	GRADE SIZE OF CASING	weight per foot 24# 15.5#	SETTING DEPTH 330' 3200'	250	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN POSILO H L CY AI	TER BASIN
sizz of Holz <u>12¼"</u> 7 7/8" ment will be ci darko Petroleum	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t	SETTING DEPTH 330' 3200' strings. o test the Grayb	250 815	QUANTITY OF CE SX CIRCULAI SX CIRCULAI SX CIRCULAI POSICO AL CA AI II - 2 2 San Andres Fo	TER BASIN
sizz of Holz <u>12¼</u> " 77/8" ment will be ci darko Petroleum mercial guantit	CRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial,	250 815 urg and the well	QUANTITY OF CE SX CIRCULAIN SX CIRCULAIN SX CIRCULAIN AL CAN II - 2 2 - San Andres Fo bore will be	TER BASIN
size of Hole <u>12½</u> " 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede	GRADE STEOF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations.	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial,	250 815 urg and the well	QUANTITY OF CE SX CIRCULAIN SX CIRCULAIN SX CIRCULAIN AL CAN II - 2 2 - San Andres Fo bore will be	TER BASIN
sizz of Holf 12¼" 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e	CRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments.	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil	urg and the well and gas	QUANTITY OF CE SX CIRCULAIN SX CIRCULAIN AL CAN AL CAN AL CAN AL CAN AL CAN AL CAN AL CAN AL CAN BODE WILL DE regulations	TER BASIN
sizz of HOLE <u>12</u> 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attact Operating Plan	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The sti	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc	urg and the well and gas	QUANTITY OF CE SX CIRCULAIN SX CIRCULAIN SX CIRCULAIN NAL CAN 11-22- San Andres Fo bore will be regulations applicable t	TER BASIN
sizz of HoLz <u>12</u> 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment sti con	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the le	urg and the well and gas epts all strictio	QUANTIET OF CE SX CIRCULAI SX CIRCULAI AL CY AN II - 2 2 San Andres Fo bore will be regulations applicable t ns concerning	TER BASIN
sizz of Holz <u>12½</u> " 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blc xhibit #2 - Loc xhibit #3 - Plc	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati anned Access Roads	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment on Plat des	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re	urg and the well and gas epts all strictio	QUANTIET OF CE SX CIRCULAIN SX CIRCULAIN Poslul AL A AI (1-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
size of Hole <u>12</u> / ₂ " 7 7/8" nent will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #4 - Weil	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the le cribed above.	urg and the well and gas epts all strictio ased lan	QUANTIET OF CE SX CIRCULAIN SX CIRCULAIN Poslul AL A AI (1-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of Holf <u>12</u> <u>7</u> <u>7</u> <u>7</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>7</u> <u>7</u> <u>8</u> <u>8</u> <u>8</u> <u>8</u> <u>8</u> <u>8</u> <u>8</u> <u>8</u>	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati anned Access Roads ls Within a One M oduction Facilitie cary Rig Layout	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the le cribed above. SUBJEC	urg and the well and gas epts all strictio ased lan	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN Posted AL CY AN 11-22 San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of Holf <u>12</u> /2" 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Bl.c xhibit #2 - Loc xhibit #3 - Pl.a xhibit #3 - Pl.a xhibit #5 - Pro xhibit #6 - Rot	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati unned Access Roads ls Within a One M oduction Facilitie cary Rig Layout .an	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROYAL SUBJECT TO	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AS	urg and the well and gas epts all strictio ased lan	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN Posted AL CY AN 11-22 San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of Holf <u>12</u> /2" 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Bl.c xhibit #2 - Loc xhibit #3 - Pl.a xhibit #3 - Pl.a xhibit #5 - Pro xhibit #6 - Rot	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati unned Access Roads ls Within a One M oduction Facilitie cary Rig Layout an App	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROYAL SUBJECT TO	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AS	urg and the well and gas epts all strictio ased lan	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN Posted AL CY AN 11-22 San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of Holf <u>12</u> /2" 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Bl.c xhibit #2 - Loc xhibit #3 - Pl.a xhibit #3 - Pl.a xhibit #4 - Weil xhibit #5 - Pro xhibit #6 - Rot	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 culated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie cary Rig Layout an APP GEN	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AS	urg and the well and gas epts all strictio ased lan	QUANTIETY OF CE SX CIRCULAIN SX CIRCULAIN Posted AL CY AN 11-22 San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of HoLz 12½" 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #3 - Pla xhibit #5 - Pro xhibit #6 - Rot 2S Operating F1	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie ary Rig Layout .an APP GEN SPE	wEIGHT PER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AN BY STA	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of HoLz 12½" 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #3 - Pla xhibit #5 - Pro xhibit #6 - Rot 2S Operating F1	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 culated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie cary Rig Layout an APP GEN	wEIGHT PER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AN BY STA	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of HoLz 12%" 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blc xhibit #2 - Loc xhibit #3 - Pla xhibit #3 - Pla xhibit #5 - Pro xhibit #6 - Rot 2S Operating F1	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie ary Rig Layout .an APP GEN SPE	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re- ducted on the le- cribed above. SUBJEC LIKE AN BY STA on present productive zone al depths. Give blowout preve	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
sizz of HoLz 12½" 77/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #3 - Pla xhibit #5 - Pro xhibit #6 - Rot 2S Operating F1	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie ary Rig Layout .an APP GEN SPE	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re ducted on the lecribed above. SUBJEC LIKE AN BY STA	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
size of Hole <u>12</u> / ₂ " 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #3 - Pla xhibit #4 - Weil xhibit #5 - Pro xhibit #6 - Rot 2S Operating Fl ABOVE SPACE DESCRIB pen directionally, give pe to SIGNED	GRADE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads Is Within a One M oduction Facilitie cary Rig Layout an APP GEN SPE E PROPOSED PROGRAMA IFA nent data on subsurface location	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re- ducted on the le- cribed above. SUBJEC LIKE AN BY STA on present productive zone al depths. Give blowout preve	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN
SIZE OF HOLE 12½" 7 7/8" ment will be ci darko Petroleum mercial quantit ndoned per Fede the following e rilling Program urface Use and xhibit #1 - Blo xhibit #2 - Loo xhibit #3 - Pla xhibit #3 - Pla xhibit #4 - Weil xhibit #5 - Pro xhibit #5 - Rot 2S Operating Fl ABOVE SPACE DESCRIB pen directionally, give pe to	CRACE SIZE OF CASING 8 5/8" J-55 5 1/2" J-55 rculated to surfa Corp plans to dr ies of oil. If th ral regulations. xhibits and attac Operating Plan owout Prevention E cation and Elevati inned Access Roads ls Within a One M oduction Facilitie ary Rig Layout .an APP GEN SPE	wEIGHT FER FOOT 24# 15.5# ce on all casing ill to 3200'+/- t e well is deemed Programs to adher hments. The quipment con on Plat des ile Radius s Plan ROVAL SUBJECT TO ERAL REQUIREMENTS CIAL STIPULATIONS AGHED to deepen give data	SETTING DEPTH 330' 3200' strings. o test the Grayb non-commercial, e to onshore oil undersigned acc pulation, and re- ducted on the le- cribed above. SUBJEC LIKE AN BY STA on present productive zone al depths. Give blowout preve	250 815 and gas epts all strictio ased lan cr TO PROVA	QUANTIETY OF CE SX CIRCULAI SX CIRCULAI AL CAN H-22- San Andres Fo bore will be regulations applicable t ns concerning d or portion	TER BASIN

APPROVED BY	(OIIG S	GD.) TONY L	FERGUSON	TITLE
-------------	---------	-------------	----------	-------

ADM, MINERALS

11.12 96

DATE

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District | PO Box 1980, Hobbs, NM 88241-1980 District U PO Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

PO Box 2088, Santa Fe, NM 87504-2088 تكحر

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

		WE	ELL LO	CATIO	N AND A	ACE	REAGE DEDI	CATION	PLAT				
API Number				³ Pool Code		³ Pool Name							
30-015-29268		39	39520 ·		$\mathbf{L}\mathbf{c}$	Loco Hills, Queen, Gray		Graybu	rg,	San	Andres		
* Property Code					· Pro	• •					· Well N	umber	
	001241 BALLARD GRAYBURG SA UNIT TRACT #14							8					
'OGRID No.					* Operator Name					* Elevadoa			
000817 AN				NADARKO PETROLEUM COR						- 3530			
					¹⁰ Surf	ace	Location	· ·					
UL or loc bo.	Section	Township			EASU Wes	the County		aty					
K	8	18S	29E		2560		SOUTH	1500 WEST		EI	DDY		
UL or lot po.		T					f Different Fro	om Surface	2				
UL OF IOL BO.	Section	Township	Range	Lot Idn	Feet from	the .	North/South line	Feet from the	East/Wes	st/West line County		ы	
12 Dedicated Acr							<u> </u>	·					
40	al - Jorge	or the last	Consolidatio	a Code " C	order No.								
	VARIE		SELCENTER										
		OR A	NON-ST	NDARD	UNIT HA	EIIC S RF	ON UNTIL ALL EEN APPROVED	INTERESTS	HAVE BE	EN CO	DNSOL	IDATED	
16				1				فيستعد فالتقارب والمتراك					
				· .		·					CERTIFICATION		
						I hereby certify that the information contained herein is true and complete to the best of my browledge and being							
											01		
							· · · · · · · · · · · · · · · · · · ·		The Bro	sur	\mathcal{M}		
								Signature M - 1-			- ,		
								Printed N	e Brasw	veii			
								Field Foreman			ļ		
								10-07-96					
	1								07-90				
	ł	$\langle X \rangle$	\times	1					VEYOR				
	h	\mathbb{N}	//	۲ ا				I hereby a	crify that the we I from field note	di locati	an shown	an this plat	
		\mathbb{N}	//	Υ				me or und	er my supervisio	n, and l	has the so	and is true	
		$\mathbb{N}\mathbb{N}$	$\backslash /$	4				and correc	t to the best of a				
	L	\mathcal{N}	$\backslash \backslash$	\.				Date of Su		3/96			
				·					NG CH	ELL			
		1							Ney Alexandra Sch	MER	S.		
		2560'							AL.		311		
		25							計 / 36	40)			
		1								\neg	JEI		
								Z	Jers ch	Цв	Â.		
	<u> </u>			L				Certificate	NUMPESSIO	140			

.



301 BOYD, E ALLEN, TEXAS 75002 P. O. BOX 589 ALLEN, TEXAS 75002

(214) 727-8367

In Texas (800) 442-5224



3000 the Working Pressure

EXIBIT 1