

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division  
811 S. 1st Street  
Artesia, NM 88210-2834

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry. Each well has its own application. Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

FEB 19 1997

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

YATES PETROLEUM CORPORATION

(505) 748-1417

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1650' FSL & 990' FEL of Section 15-T18S-R29E (Unit I, NESE)

5. Lease Designation and Serial No.

NM-0437524

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Cerros AQF Federal #1

9. API Well No.

30-015-29276

10. Field and Pool, or Exploratory Area

Cedar Lake Morrow

11. County or Parish, State

Eddy Co., NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Retrieve RBP

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

2-7-97 - Flared well down to pit. Loaded tubing with brine water. Nippled down wellhead and installed BOP. Unset packer and reversed hole with 2% KCL water. TOOH with tubing and packer. TIH with retrieving tool and 2-7/8" tubing. Reversed 14' of sand off RBP at 11093'. Pulled tubing up to 10980'.

2-8-97 - Dropped down and latched onto RBP at 11093'. Unset RBP. TOOH with tubing and RBP. TIH with packer, on/off tool and 2-7/8" tubing. Removed BOP and nipped up wellhead. Set packer at 10897'. Tested packer to 900 psi. Swabbed and flow test.

2-9-97 - Flow tested well. Shut well in. Released well to production department.



RECEIVED  
FEB 13 '97  
BLM  
ROSWELL, NM

14. I hereby certify that the foregoing is true and correct

Signed

*Rusty Klein*

Title Operations Technician

Date Feb. 10, 1997

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date