

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NS

FORM APPROVED

Budget Bureau No. 1004-0135  
Expires March 31, 1993

C/SF

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

JUL 23 1997

2. Name of Operator  
DEVON ENERGY CORPORATION (NEVADA)

BLM  
ROSWELL, NM  
DIST. 2

3. Address and Telephone No.  
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
990' FNL & 1880' FEL of Section 3-T18S-R27E, Unit "B"

5. Lease Designation and Serial No.

LC-065478-B

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

Falcon "3B" Federal #2

9. API Well No.

30-015-29542

10. Field and Pool, or Exploratory Area

Red Lake (Q-GB-SA)


11. County or Parish, State

Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice



TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Completion

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

6/23/97 RU Wedge WL. Ran Bond log from 2654' to surf. Perf'd w/1 SPF as follows:, 1650', 58', 68', 1786', 1919', 58', 74', 87', 97', 2024', 54', 2136', 42', 65', 88', 90', 2202', 48', 66', 81', 86', 88', 2302', 04', 06', 14', 16', 59', 70,72, for a total of 30 holes (.40" EHD Holes).

Acidize San Andres perfs 1650-2372' w/2500 gals of 15% NeFe acid, ISIP 950#.

Frac'd perfs 1650-2372' w/ 180,200 gals gel water + 6000# 100 mesh sand + 86,000# 20/40 & 157,000# 16/30 Brady sand ISIP 1200#, closed at 1030#.

Ran 2 7/8" production tbg, SN set at 2104'. Ran pump and rods. Began pump testing.

14. I hereby certify that the foregoing is true and correct

Signed Crystal Thornton

Title Engineering Technician

Date 7/16/97

(This space for Federal or State office use)

Approved by \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_

Conditions of approval, if any: