	P		``				
DEPARTM	INITED STATES	SUBMIT IN TRIPLICATE (Other Instructions on reverse side)	 Budget Bureau No. 1004-C Expires August 31, 198 5. LEASE DESIGNATION AND SE LC-029418-B 	5			
(Do not use this form for pro	FICES AND REPORTS O posals to drill or to deepen or plug back to CATION FOR PERMIT - " for such propo	a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRI	IBE NAME			
1. OIL GAS WELL WELL	OTHER	UREAU OF ROSWE	UZUNIT AGREEMENT NAME Lea "D"				
NAME OF OPERATOR The Wiser Oil Company ADDRESS OF OPERATOR		A DATIEL OFFICE	.8. API WELL NO. 30-015-29705				
P. O. Box 2568 Hobbs, 4. LOCATION OF WELL (Report locati See also space 17 below.) At surface 2595' FN	on clearly and in accordance with any State	requirements	11 10. FIELD AND POOL, OR WILDO Grayburg Jackson 7-Riv				
At surface 2595' FNL & 1339' FEL Sec. 26-T17S-R31E Unit G		acs	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26-T17S-R31E				
14. PERMIT NO	15. ELEVATIONS (Show whether DF, 3761'		12. COUNTY OR PARISH Eddy	13. STATE NM			
16. Check Appropriate Box to indicate Nature of Notice, Report, or Other Data							
NOTICE OF INT	ENTION TO:	SUBSEQUENT REPORT OF:					
TEST WATER SHUT OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL				
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING				
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT *				
REPAIR WELL	CHANGE PLANS		nting Surface & Production Ca	sing			
(Other) 17 DESCRIBE PROPOSED OR COMPLET		Completion or Recomp	oletion Report and Log form.)				
17 THESE REPORTED SETTING COMPLETE	HILLIPERATIONS // Joorly state all north	nant dataile and give nontinent dates	in also alian a sublice of all of the set				

ESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

MIRU Norton Drilling Co., Rig #5. Spudded 12-1/4" surface hole @ 1:00 p.m. 08/07/97. Drilled hole to 462'. Ran 10 jts. 8-5/8", 20#, ISW-42 ST& C csg. Set at 458'. Halliburton cemented with 300 sx. Class "C" containing 1/4#/sk. Flocele + 2% CaCl. Plug down @ 8:15 p.m., 08/07/97. Circulated 75 sx. cmt. Encountered a water flow at 1336'. Set cmt. plug f/3266'-2613'. Encountered a water flow at 2781'. BLM was notified, no representative present. NU BOP & tested csg. to 1,000# for 30 min., no pressure loss. WOC 12 hrs.

Drilled 7-7/8" production hole to a depth of 4100'. Ran casing as follows: Ran 98 jts. 5-1/2" 17#, J-55, LT&C csg. Set at 4100'. Halliburton cemented w/1000 gals. Superflush 101 + 700 sks. Halliburton Lite + 8# salt/sk. + 1/4# Flocele/sk. followed by 250 sks. Premium Plus w/3#KCL/sk. + .5% Halad 344 + 1/4# Flocele/sk. Displaced w/1 bbl. FW + 12 bbls. MSA + 82 bbls. FW w/Lo-Surf 300. Plug down at 8:30 a.m. 08/22/97. Circulated 134 sks. cmt. Rcleased rig at 10:30 a.m. 08/22/97. BLM was notified, no representative present. Pressure tested csg. to 1500# for 30 min., no pressure loss.

18 Ihereby certify that the foregoing is true and correct.					
signed Mary Jo Turney	_ TITLE _	Drilling Department	DATE <u>August 26, 1997</u>		
(This space for Federal or State office use)	<u></u>				
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE		DATE		
*See Instruction On Powerse Side					

See Instruction On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.