

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

FORM APPROVED

C/SF

(See other instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ Other ☐

2. NAME OF OPERATOR: DEVON ENERGY CORPORATION (NEVADA)

3. ADDRESS AND TELEPHONE NO.: 20 N. BROADWAY, SUITE 1500, OKC, OK 73102-8260 (405) 235-3611

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 2110' FNL & 1600' FEL; Unit "G"
At top prod. interval reported below (SAME)
At total depth (SAME)

5. LEASE DESIGNATION AND SERIAL NO.: LC-064384

6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NA

7. UNIT AGREEMENT NAME: NA

8. FARM OR LEASE NAME, WELL NO.: Carter Collier 5 Federal #3

9. API WELL NO.: 30-015-29978

10. FIELD AND POOL, OR WILDCAT: Red Lake (Q-GB-SA)

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Section 5-18S-27E

14. PERMIT NO.: DATE ISSUED: 12/17/97

12. COUNTY OR PARISH: Eddy County

13. STATE: NM

15. DATE SPUDDED: 2/25/98

16. DATE T.D. REACHED: 3/2/98

17. DATE COMPL. (Ready to prod.): 3/13/98

18. ELEVATIONS (DF, RKB, RT, (IR, ETC.): KB 3515'; GL 3506'; DF 3514'

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD: 2450'

21. PLUG, BACK T.D., MD & TVD: 2410'

22. IF MULTIPLE COMPL., HOW MANY: NA

23. INTERVALS DRILLED BY: ROTARY TOOLS: X

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*: San Andres 1650'-2110'

25. WAS DIRECTIONAL SURVEY MADE: No

26. TYPE ELECTRIC AND OTHER LOGS RUN: LDT/CNL/DLL/MSFL/GR/CBL

27. WAS WELL CORED: No

28. CASING RECORD (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	BOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT FULLED
8-5/8 J-55	24#	1048'	12-1/4"	surf; 300 sx lite & 200 sx "C"	NA
5-1/2" J-55	15.5#	2450'	7-7/8"	surf; 150 sx lite & 300 sx "C"	NA

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	2054.59'	

31. PERFORATION RECORD (Interval, size and number)		32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
SANANDRES-ALPHA "A","B","C",&"D"		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
1650'-2110' (30-.40" EHD HOLES)		1650'-2110'	2500 gals of 15% NeFe acid
		1650'-2110'	180,000 gals gel water + 6000# 100 mesh sand
			+ 192,000# 20/40 Brady sand and 65,000 20/40
			CRC sand

33.* PRODUCTION

DATE FIRST PRODUCTION: 3/21/98

PRODUCTIONS METHOD (Flowing, gas lift, pumping—size and type of pump): Pumping (2-1/2" x 2" x 12' RWTC Pump)

WELL STATUS (Producing or shut-in): Producing

DATE OF TEST: 3/31/98

HOURS TESTED: 24

CHOKE SIZE:

PROD'N FOR TEST PERIOD:

OIL-BBL.: 70

GAS-MCF.: 100

WATER-BBL.: 295

GAS-OIL RATIO: 1428/1

FLOW. TUBING PRESS.:

CASING PRESSURE:

CALCULATED 24-HOUR RATE:

OIL-BBL.: 70

GAS-MCF.: 100

WATER-BBL.: 295

OIL GRAVITY-API (CORR.): 38°

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): Sold

TEST WITNESSED BY: Danny Hokett

35. LIST OF ATTACHMENTS: Logs, Deviation Surveys

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED: Tonja Rutelonis TONJA RUTELONIS
TITLE: ENGINEERING TECHNICIAN
DATE: April 7, 1998

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Premier Sand	1332	1380	sandstone	Bowers	468'	+3047
San Andres			dolomite	Queen	680'	+2835
				Grayburg	1072'	+2443
				Metex	1221'	+2294
				Premier	1332'	+2183
				San Andres	1380'	+2135
			DEPTH			
			ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.. (continued from the front)			

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370

ARTESIA, NEW MEXICO 88211-1370

(505) 746-4405 746-3518 748-2205

March 4, 1998


Devon Energy Corporation
20 North Broadway, Suite 1500
Oklahoma City, OK 73102-8260

RE: Carter Collier 5 Federal #3
2110' FNL & 1600' FEL
Sec. 5, T18S, R27E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
183'	1/4°
361'	3/4°
535'	1°
1023'	1 1/2°
1495'	1 1/4°
1989'	1 1/2°
2425'	1°
2450'	1°



Very truly yours,

Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 4th day of March, 1998.

Notary Public