

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

FORM APPROVED

(See other instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ (Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR ☐ (Other ☐

2. NAME OF OPERATOR

DEVON ENERGY CORPORATION (NEVADA)

3. ADDRESS AND TELEPHONE NO.

20 N. BROADWAY, SUITE 1500, OKC, OK 73102-8260 (405) 235-3611

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 330' FSL & 2260' FEL, Unit "O"

At top prod. interval reported below (SAME)

At total depth (SAME)

14. PERMIT NO.

DATE ISSUED
2/11/9812. COUNTY OR PARISH
Eddy County13. STATE
NM15. DATE SPUNDED
10/23/9816. DATE T.D. REACHED
10/28/9817. DATE COMPL. (Ready to prod.)
11/8/9818. ELEVATIONS (DF, RKB, RT, GR, ETC.)*
KB 3413'; GL 3404'; DF 3412'

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
2317'21. PLUG, BACK T.D., MD & TVD
2275'22. IF MULTIPLE COMPL., HOW MANY*
NA23. INTERVALS
DRILLED BYROTARY TOOLS
X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

San Andres 1504'-1902'

25. WAS DIRECTIONAL SURVEY
MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN

LDT/CNL/DLL/MSFL/GR/CBL

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8 J-55	24#	1098'	12-1/4"	surf; 550 sx "C"	NA
5-1/2" J-55	15.5#	2314'	7-7/8"	surf; 427 sx "C"	NA

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	1803'	

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

SAN ANDRES- ALPHA "A", "B", & "C"
1504'-1902' (31-.40" EHD holes)

32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
1504'-1902'	2500 gals 15% NEFE
1504'-1902'	324,500 gals gel water + 6000# 100 mesh sand
	+ 178,000 20/40 Brady sand and 43,000# CRC sand.

33.* PRODUCTION

DATE FIRST PRODUCTION 11/25/98		PRODUCTIONS METHOD I(Flowing, gas lift, pumping—size and type of pump) Pumping (2-1/2" x 2" x 16' RWTC Pump)					WELL STATUS (Producing or shut-in) Producing	
DATE OF TEST 12/9/98	HOURS TESTED 24	CHOKE SIZE	PROD'N FOR TEST PERIOD →	OIL-BBL. 61	GAS-MCF. 25	WATER-BBL. 471	GAS-OIL RATIO 410/1	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL-BBL. 61	GAS-MCF. 25	WATER-BBL. 471	OIL GRAVITY-API (CORR.) 38		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

WITNESSED BY

Denny Hokett

35. LIST OF ATTACHMENTS

ACCEPTED FOR RECORD
(ORIG. SGD.) DAVID R. GLASS
JAN 28 1999

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TONJA RUTELONIS
TITLE ENGINEERING TECHNICIAN

DATED December 29, 1998

*(See Instructions and Spaces for Additional Data on Reverse Side)

RECEIVED
JUN 07 1999
ELM
HOSWELL, NM

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
Premier Sand San Andres	1182	1202	sandstone	Bowers	305'	
	1202	2317	dolomite	Queen	485'	
				Grayburg	890'	
				Premier	1182'	
				San Andres	1202'	
		DEPTH	ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.. (continued from the front)			

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS
PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

October 30, 1998

Devon Energy Corporation
20 North Broadway, Suite 1500
Oklahoma City, OK 73102-8260


RE: Compton 6 Federal #2
330' FSL & 2260' FWL
Sec. 6, T18S, R27E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
176'	1/4°
361'	1°
535'	3/4°
721'	3/4°
804'	1 1/4°
1085'	1°
1558'	1°
1987'	1°
2308'	1/2°
2317'	1/2°



Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 30th day of October, 1998


Notary Public

RECEIVED
JAN 07 39
BLM
ROSWELL, NM