

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM  
87410

## OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.  
30-015-30131

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name  
Kaiser B

8. Well No.

5

9. Pool name or Wildcat

Red Lake (Q-GB-SA)

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address of Operator

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Well Location

Unit Letter E-1650 Feet From The North Line and 2310 Feet From The West Line

Section 18 Township 18S Range 27E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

KB 3298'; GL 3289'; DF 3297'

Check Appropriate Box To Indicate Nature Of Notice, Report, Or Other Data

#### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

#### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Completion ☒

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

4/20/98 RU Wedge WL, Ran w/GR, CCL/CBL/VDL logs from PBTD (2254') to surf. Perf'd San Andres formation w/ 1 SPF as follows: 1538', 1587', 1594', 1610', 1688', 1694', 1700', 1706', 1714', 1724', 1728', 1744', 1751', 1762', 1772', 1793', 1805', 1825', 1832', 1858', 1863', 1870', 1876', 1888', 1892', 1900', 1904', 1914', 1926', 1934', 1944', 1962', for a total of 32 holes (.40" EHD holes).

Acidize San Andres perfs 1538'-1962' w/ 2500 gals HCL w/ additives, ISIP 1040#.

Fracture treated San Andres perfs 1538'-1962' w/ 180,000 gals linear gelled water + 6000# 100 mesh sand, 192,000# 20/40 Brady sand, & 65,000# CRC sand. ISIP 1810#, closed at 1123#.

Ran 2 7/8" production tbg, SN set at 1917'. Ran pump and rods. Began pump testing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tonja Rutelonis

TITLE ENGINEERING TECHNICIAN

DATE 5/7/98

TYPE OR PRINT NAME Tonja Rutelonis

TELEPHONE NO. (405) 235-3611

(This space for State use)

ORIGINAL SIGNED BY TIM W. GUM  
DISTRICT II SUPERVISOR

Approved by \_\_\_\_\_

TITLE \_\_\_\_\_

DATE 5-12-98

Conditions of approval, if any: