(December 1990)

CONDITIONS OF APPROVAL, IF ANY:

1	Form	approved.	
, i			

•	BUREAU & LA	ND MANAGEMENT	* 811 S. ST.		DESIGNATION AND SERI	AL NO.
ADD	PLICATION FOR PERI	<u> </u>	ARTESIA, NM 88210			
la TYPE OF WORK:	DRILL X	DEEPEN	EEFEN	NA NA	DIAN, ALLOTTEE OR TRI	BE NAME
b TYPE OF WELL:				7.UNIT	AGREEMENT NAME	· · · · · · · · · · · · · · · · · · ·
orl X	OAS Other	SINGLE	MULTIPLE ZONE	8 FARM (	OR LEASE NAME, WELL N	10.
2 NAME OF OPERAT	TOR					3550
	DEVON ENERGY CORPO	ORATION (NEVADA)	4137	9.API WE		15
3. ADDRESS AND TE		E 1500, OKC, OK 73102 (4	105) 552-4511	30	AND POOL, OR WILDCA	218
4. LOCATION OF WEI	LL (Report location clearly and in a				se; Q-GB-SA	51300
At surface 2300'	FSL & 380' FWL, Unit "L"	26	8	1	T.,R.,M.,OR BLOCK AN	
At top proposed prod.	zone (SAME)	LO 7 4	4	Section	6-T18S-27E	
	AND DIRECTION FROM NEAREST TOWN OF	R POST OFFICE*	K in seve	1	NTY OR PARISH	13. STATE
Approximately 7 miles	southeast of Artesia, NM		RECEIVED	Eddy (	County	Mexico
15.DISTANCE FROM PROPO		16.NO. OF ACRES IN LEASE	OCD - ARTESIA	_1	17.NO. OF ACRES	ASSIGNED
LOCATION TO NEAREST PROPERTY OR LEASE L	2001	158			40	
(Also to nearest drig unit line 18. DISTANCE FROM PROPO	SED LOCATION*	19.PROPOSED DEPTH			20.ROTARY OR CAL	BLE TOOLS*
TO NEAREST WELL, DR OR APPLIED FOR, ON		2800'	e e e e e e e e e e e e e e e e e e e		Rotary	
21.ELEVATIONS (Show when GR 3380'	ther DF, RT, GR, etc.)				APPROX. DATE WORK WI LUARY 1, 1998	LL START*
23.	<del></del>	PROPOSED CASING AND CE	MENTING PROGRAM			
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY O	F CEMENT
17 1/2"	14"	Conductor	40'		Redimix	
12 1/4" 7 7/8"	8 5/8", J-55 5 1/2", J-55	24 ppf 15.5 ppf	1050' 2800'		350 sx Lite + 200 sx 150 sx Lite + 350 sx	<u> </u>
	1		2000		150 SX Lite   550 SX	Class
Devon Energy plans to	ated to surface on all casing strings. drill to 2800' +/- to test the San Ano ned per Federal regulations. Progr	dres Formation for commercial o				
Drilling Program Surface Use and Operat			s all applicable terms, conditi on the leased land or portion t			concerning
Exhibit #1 - Blowout Pr Choke Mar		Bond Coverage: Natio	onwide /)	+ 1 - 0		,
Exhibit #2 - Location ar Exhibit #3 - Planned Ac		BLM Bond File No.: C	CO-1104 Post	010	RECE	ENED '
Exhibit #4 - Wells With			onwide CO-1104 Posti NL & U - 2	r ISPI		1
Exhibit #5 - Production Exhibit #6 - Rotary Rig			1/ 0	11 00	- MAN O	5 97
• -	ign Parameters and Factors		4-8	7-78	1	.J 91
Exitable no 1120 operation					ROSWE	M LL, rim
is to drill or deepen dire	SCRIBE PROPOSED PROGRAM ectionally, give pertinent data on su	I: If proposal is to deepen, give d absurface locations and measured	ata on present productive zon I and true vertical depths. Gi	ne and prop	osed new productive z preventer program, i	one. If proposal f any.
24.						
SIGNED_	L. B. Ithors		JTTROSS, JR. <u>ICT ENGINEER</u> DA	ATE Nov	ember 20, 1997	
*(This space for Fede	eral or State office use)					
PERMIT NO			APPROVAL DATE		.,	

TITLE GOING ADM, MINERALS DATE APR 20 1998
See Instructions On Reverse Side (ORIG. SGD.) ARMANDO A. LOPEZ

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Form 3160-5 (June 1990)

# UNITED STATES DEPARTM I OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

Do not uso this forms for much confident dull s	SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.								
Do not use this form for proposals to drill to	LC-069274								
Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name								
SUBMIT	NA COLLARS								
i. Type of Well  ☐ Gas Well  ☐ Other	7. If Unit or CA, Agreement Designation NA								
2. Name of Operator DEVON ENERGY CORPORATION (NEV.	8. Well Name and No.								
	Fred 6 Federal #3								
3. Address and Telephone No.	9. API Well No.								
20 NORTH BROADWAY, SUITE 1500, O	30-015-								
4. Location of Well (Footage, Sec., T., R., M., or Survey	10. Field and Pool, or Exploratory Area								
2300' FSL & 380' FWL of Section 6-T18S-F	?27E, Unit "L"	Red Lake (Q-GB-SA)							
	11. County or Parish, State								
		Eddy County, NM							
CHECK APPROPRIATE BOX(s	) TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION								
Notice of Intent	Abandonment	Change of Plans							
	Recompletion	Change of Plans  New Construction							
Subsequent Report	Plugging Back	Non-Routine Fracturing							
	Casing Repair	Water Shut-Off							
Final Abandonment Notice	Altering Casing	Conversion to Injection							
	Other	Dispose Water							
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)							
<ol> <li>Describe Proposed or Completed Operations (Clearly state all subsurface locations and measured and true vertical depths</li> </ol>	pertinent details, and give pertinent dates, including estimated date of starting for all markers and zones pertinent to this work.)*	any proposed work. If well is directionally drilled, give							
Please amend the APD to show that the	POD will be tested to 1000 mi mid- the visual	771							
pressure is entisineted to be only 200 -	BOP will be tested to 1000 psi with the rig p	oump. The maximum bottom hole							
pressure is anticipated to be only 800 p	DSI.								
14. I hereby certify that the foregoing is true and correct	E I. Dutteren In								
P10 44 1	E.L. Buttross, Jr.								
Signed Ed. B. Mars J.	E.L. Buttross, Jr. Title <u>District Engineer</u>	Date December 17, 1997							
14. I hereby certify that the foregoing is true and correct  Signed									
Signed Ed. B. Mars J.	Title <u>District Engineer</u>								
Signed Ed Plans J.  (This space for Federal or State office use)		Acus .							

18 S

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

#### State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Instruction on back Submit to Appropriate District Office

West

Eddy

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM B8210

1000 Rio Brazos Rd., Aztec, NM 87410

6

DISTRICT III

6

#### OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Num	ber			Pool Code		Pool Name			
						Red Lake ((	Q-GB-SA)		
Property Code			Property Name					Well Number	
					Fred 6 Fed	leral		3	
OGRID No.		Operator Name						Elevation	
			Devon Energy Corporation					3380'	
1					Surface Loca	ation			
L or lot No. Sec	ction	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	Coun

### 2300 Bottom Hole Location If Different From Surface


South

380


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acre	s Joint o	r Infill Co	nsolidation (	Code Or	der No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

				OPERATOR CERTIFICATION  I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief
Lot 4	Lot 3	<i>Lot_2</i>	Lot_1	E.L. Buttross, Jr
		   		District Engineer Title November 14, 1997 Date
Lot 5	· · ·			SURVEYOR CERTIFICATION
3361.1. 3367,3.		, , ,		I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief.
100		 		October 30,1997  Date Surveyed Signature & Seal of
2300				Professional Surveyor  W.O. No. 7576b
Lot 7				Certificate No. Gary L. Jones 7977  BASIN SURVEYS



## CHOKE MANIFOLD REQUIREMENT (2000 psi WP)



WEST RED LAKE
EDDY COUNTY, NEW MEDICO

SCHEMATIC
BLOWOUT PREVENTOR
(2000 PSI MINEMUM WP)

WRLBOP

11/97

## Attachment to Exhibit #1 NOTES REGARDING BLOWOUT PREVENTORS

#### Fred 6 Federal #3 Eddy County, New Mexico

- 1. Drilling nipple will be constructed so it can be removed mechanically without the aid of a welder. The minimum internal diameter will equal BOP bore.
- 2. Wear ring will be properly installed in head.
- 3. Blowout preventor and all associated fittings will be in operable condition to withstand a minimum 2000 psi working pressure.
- 4. All fittings will be flanged.
- 5. A full bore safety valve tested to a minimum 2000 psi WP with proper thread connections will be available on the rotary rig floor at all times.
- 6. All choke lines will be anchored to prevent movement.
- 7. All BOP equipment will be equal to or larger in bore than the internal diameter of the last casing string.
- 8. Will maintain a Kelly cock attached to the Kelly.
- 9. Hand wheels and wrenches will be properly installed and tested for safe operation.
- 10. All BOP equipment will meet API standards and include a minimum 40 gallon accumulator having two independent means of power to initiate closing operation.